

BID PRICE SCHEDULE TO BE FILLED BY THE BIDDER

Sl. No.	Name of the equipment with Make/Brand with Model No.			Unit	Cost per unit (inclusive of excise duty, insurance, packing, forwarding and freight (i.e. door delivery))	Rate of GST applicable	Total Amount (in Rs)	Total Amount (in Figure)
	Name	Make/Brand	Model No					
1	Smart Panel Board (65" inches			1 no				
2.	Desktop Computer with Antivirus			1 no				
3.	CCTV (6 Camera) with Monitor			1 set				
4	Dual Desk			1 no				
5	Sliding Panel Board enclosure with Green and White Board along with 2 nos of Podium			1 set				
6	03 Nos Laboratory Table (Physics, Chemistry and Biology), Office Chair and Table (Set up of 1 Table and 8 Chair) and E-Library Table (10 Seater) and Linear Work Station (10 Seater)			1 set				
7	Laboratory Stool (set up of 12 nos) and E- Library Chair (set up of 20 nos)			1 set				
8	Equipment Storage Glass Door Almirah (set up of 02 nos)and Dual Face Library Rack (set up of 03 nos)			1 set				

Signature of the Bidder


 Signature of the Block Development Officer

TECHNICAL SPECIFICATION TO BE FILLED BY BIDDER

Name of the Item - Desktop Computer with Antivirus.

Sl No	Item	Detail Specification	Make/Model	Compliance (Yes / No)	Corresponding page no and sl no / para no of data sheet catalogue / brochure in support of specification	Deviation / Remarks
1	Processor	10 th or 11 th Gen IntelCore i3 64 bit				
2	RAM	8GB DDR4 (preferably)				
3	HDD	1 TB				
4	SSD	256 GB				
5	Graphics	Intel UHD (preferably)				
6	Keyboard	Keyboard				
7	Network	Integrated 10/100/1000GbE LAN, Intel 802.11 Wi-Fi				
8	Bluetooth	Integrated				
9	Mouse	Mouse				
10	Display / Monitor	21.5" (Non Touch) 1920x1080 Pixel				
11	Webcam	Yes (integrated)				
12	Audio	Dual speakers				
13	Operating System	WIN10 Professional (Pre- Loaded)				
14	Antivirus	Shield with AV Test, ICSA LAB and OPS WAT certification				
14	Warranty	3 Years				

Signature of the Bidder


 Signature of the Block Development Officer
 Block Development Officer
 Nabarangpur

TECHNICAL SPECIFICATION TO BE FILLED BY BIDDER

Name of the Item - Smart Panel Board (65")

Sl. No.	Item	Detailed specifications	Make/Model	Compliance (Yes / No)	Corresponding page no and sl no / para no of data sheet catalogue / brochure in support of specification	Deviation / Remarks
1.	Screen Size	65"				
	Panel Type	IPS				
	Resolution (pixel)	UHD 3840 x 2160				
	Aspect Ratio	16:9				
	Brightness (typical) (nits; cd/m2)	400 nits or Higher				
	Response Time (ms)	8 ms or Faster				
	Light Life (typical) (hrs)	50000 hrs or Higher				
	Panel Bit	10 bit				
	SOC	1.5 Ghz or Higher				
	System Memory	3GB RAM or Higher				
	Storage	32GB Storage or Higher				
	Operating System	Android 8.0 or later				
	Maximum (Watt)	200W or lower				
	Technology	Infrared				
Capacity	20 point Windows, 10 Point Android					

Signature of the Bidder

Signature of the Block Development Officer

Block Development Officer
Nabarangpur

15-05-2023

Accuracy	±2.0mm over 90% of touchable area				
Touch Output	2 × USB Type B or More				
Tempered Glass (Thickness)	4mm or Higher				
Tempered Glass Hardness	9H or Higher				
VGA Input	x1				
HDMI Input/Output	x3 (2.0) / x1 (2.0)				
3.5 mm audio (in out)	mic-in line-out				
RJ45 Port	x 2 or more				
USB (Type A)	x 4 or more (2.0 x 2; 3.0 x 2)				
USB (Type B)	x2 (2.0 x 2) or more				
Internal Speaker	2 x 15W or Higher				
Stylus (With Shipment)	x2				
Wall Mount (with shipment)	x1				
Front I/O Ports	Yes				
TuV certified Flicker Free	Yes, Certificate to be enclosed				
TuV certified Low Blue Light	Yes, Certificate to be enclosed				
Device Management Solution (DMS)	Yes				
Floating tool	Yes				
WPS (office viewer APP)	Yes				

Signature of the Bidder


 Signature of the Block Development Officer
 Block Development Officer
 Nabarangpur

While Board Software	Fee and Inbuilt for Android, Available for Windows freely				
Sharing & Casting Application	2 way Annotation and 2 way Mirroring				
Screen Sharing on Panel	Option to have up to 4 simultaneous source feed shared on Panel				
Account Management System (AMS)	Active Directory Integration for Individual account login & Email configuration for Panel				
Broadcast Software Solution	In Built with option for Having Text, Audio, Video message Broadcast				
Product and Brand Certification	BIS, CE, CB, FCC, RoHS, Energy Star Certified				
On Site OEM Warranty	3 Years				

Signature of the Bidder


 Signature of the Block Development Officer
 Block Development Officer
 Nabarangpur

TECHNICAL SPECIFICATION TO BE FILLED BY BIDDER

Name of the Item - CC TV (6 Camera) with Monitor.

Sl No	Item	Detail Specification	Make/Model	Compliance (Yes / No)	Corresponding page no and sl no / para no of data sheet catalogue / brochure in support of specification	Deviation / Remarks
1	CC TV (6 Camera) with Monitor.	8CH DVR, 1 TB Hard Disk, 10 Amp SMPS, BNC Connector, DC Connector, Cable, Dome Camera, Bullet camera, Camer dome AHD xw 24 tc 7W2 4mp lens 3.6 mm night version. Monitor: 21.5" , 1920x1080 Pixel				
2	Warranty	3 Years				

Signature of the Bidder


 Signature of the Block Development Officer
 Block Development Officer
 Nabarangpur

TECHNICAL SPECIFICATION TO BE FILLED BY BIDDER

Name of the Item - Dual Desk

Sl No	Item	Detail Specification	Make/Model	Compliance (Yes / No)	Corresponding page no and sl no / para no of data sheet catalogue / brochure in support of specification	Deviation / Remarks
1	Dual Desk	<p>Dual Desk (Overall Size 1050Wx860Dx750H) Desk Top size is 1050x380x18mm,made up of MDF, all sides are duly 2 mm thk PVC lipping.Desk Back size is 1050x200x18mm made up of MDF, all sides are duly 2 mm thk PVC lipping. Desk Seat size is 1050x300x18mm made up of MDF, all sides are duly 2 mm thk PVC lipping. Side support and sitting support panel are made of CRCA sheet size is 100x0.8mm. 5 nos. beams that are provided between the 2 vertical frames made from CRCA tubes 25X 25 X 1.2mm thk and C channel provide below upper modesty size of C channel is30x0.8mm.Provided storage/shelf under the desk top of size is 250x1mm. Upper modesty size is 150mm with embossed design/perforated. Back Support size is 25x1.2mm round tube and all open sides of the tube cover with Pvc caps.The product is knock down structure. Complete metal structure are powder coated 50-60 microns (±10) Adjustable leveller are provided at the bottom side of RH/LH Frame. This will prevent the structure from rubbing with the floor.</p>				
2	Warranty	1 Years				

Signature of the Bidder

Signature of the Block Development Officer

Block Development Officer
Nabarangpur

13-03-2023

TECHNICAL SPECIFICATION TO BE FILLED BY BIDDER

Name of the Item - Sliding Panel Board enclosure with Green and White Board along with 2 nos of Podium

Sl No	Item	Detail Specification	Make/Model	Compliance (Yes / No)	Corresponding page no and sl no / para no of data sheet catalogue / brochure in support of specification	Deviation / Remarks
1	Sliding Panel Board enclosure with Green and White Board along with 2 nos of Podium	<p>Sliding Panel Board Enclosure with Green & White Board Outer Length of Frame:3600 mm, Outer width of Frame:1300 mm, Thickness of Frame(Depth):210 mm, Frame is made of Aluminium with Bronze color anodizing.4 numbers boards are fitted in size of 890 mm X 1205 mm (2 boards are fixed and 2 boards are movable with lock & key. Base material of board is made of XPS/Thermocol with 14 mm thickness. Front metal sheet is having thickness 0.3 mm with choice of Green Resin surface for writing/Green ceramic surface for writing/White resin surface for writing /White ceramic surface for writing. Back side metal sheet is color coated /GI sheet with thickness of 0.2-0.3mm. The magnet is provided in the system which will get locked when it is completely open and the boards are having wheels with bearing for smooth movement.Whole system is mounted on the wall with the help of 6 metal clamps having thickness of 3mm. Sliding cabinet is used for protecting the TV under compact lockable condition and also providing four writing board for class room purpose. Sliding cabinet is being supply in SKD condition so it is very easy to install.</p> <p>WOODEN PODIUM (Overall Size 600Wx500Dx11500H) Podium having size of 600(w) x500(d)x1150(h)mm. All part podium has made of 18mm engineered wood. Cable manager has also providing in podium. PVC buffer has given below of the podium for avoiding sketched at the bottom of the floor.</p>				
2	Warranty	1 Years				

Signature of the Bidder


 Signature of the Block Development Officer
 Block Development Officer
 Nabarangpur

TECHNICAL SPECIFICATION TO BE FILLED BY BIDDER

Name of the Item - Laboratory Table (Physics, Chemistry and Biology), Office Chair and Table (Set up of 1 Table and 8 Chair) and E-Library Table (10 Seater) and Linear Work Station (10 Seater)

Sl No	Item	Detail Specification	Make/Model	Compliance (Yes / No)	Corresponding page no and sl no / para no of data sheet catalogue / brochure in support of specification	Deviation / Remarks
1	<p align="center">Laboratory Table (Physics, Chemistry and Biology), Office Chair and Table (Set up of 1 Table and 8 Chair) and E-Library Table (10 Seater) and Linear Work Station (10 Seater)</p>	<p>Laboratory Table (Overall Size 2100Wx1200Dx900H) Lab table having size of 2100(w)x1200(d)x900(h)mm with 2 Boxes. The size of box is 600(W)x550(D)x867(H)mm having 1 drawer and 2 shutter with 1 shelf all body thickness is 18 gauge and the bottom of the box providing skirting with sheet thickness also in 18 gauge. Side cover & middle cover has given of the lab which sheet thickness is 18 gauge. The top of the black granite is 18mm. Providing modesty and footrest at the side of the boxes which thickness is 18 gauge with duly powder coated. At the top of the lab Provide Re-agent Rack which size is 1050(W)x300(D)x600(H). Re-agent rack sides which sheet thickness is 18 gauge. Providing 1 shelf & which sheet thickness also in 18 gauge. Providing 2 sink on both sides of regeant rack with 2/3-way tab. The size of ceramic sinks are 340x340x180h mm. Provided high quality cold rolled close annealed (CRCA) sheet anticorrosion treated components, duly power coated with ten tank phosphating procedure with 50 to 60 microns.</p> <p>E-Library Table(10 seater) (Overall Size 3000Wx1260Dx1200H) Sharing Workstation having size of 3000(w)x1260(d)x1200(h)mm. Each workstation side below has given gablened</p>				

Signature of the Bidder


 Signature of the Block Development Officer
 Block Development Officer
 Nabarangpur

		<p>in the thickness of 25 mm engineered wood The top of the workstation is engineered wood in the thickness of 25mm. Providing Partition in the middle of the workstation. Partition have aluminium with panel base systems with upper both side fabric and lower side raceway in aluminium provision for switch Socket.</p> <p>Providing PVC cable manager at the top for wire.Each gabelend has given leveller for avoiding sketches at the bottom of the floor.</p> <p>Linear Workstation 10 seater (Overall Size 7720Wx625Dx1200H) Non-Sharing Workstation having size of 3860(w) x625(d) x 1200 (h) mm. Each workstation sides has given gabled in the thickness of 18mm engineered wood. The top of the workstation is engineered wood in the thickness of 25mm. Modesty has given in the back of the workstation which thickness is 25mm engineered wood. Keyboard tray has given in the below of workstation top which thickness of 18mm engineered wood with telescopic channel. PVC Cable manager has given each of the workstation top. Each gabelend has given 2 levellers for avoiding sketches at the bottom of the floor.</p> <p>Office Table (1200W X 480D X 750H) CRCA Sheet with powder coated</p> <p>Office chair Cantilever chair with mess fabric</p>			
2	Warranty	1 Years			

Signature of the Bidder


 Signature of the Block Development Officer
 Block Development Officer
 Nabarangpur

TECHNICAL SPECIFICATION TO BE FILLED BY BIDDER

Name of the Item - Laboratory Stool and E- Library Chair

Sl No	Item	Detail Specification	Make/Model	Compliance (Yes / No)	Corresponding page no and sl no / para no of data sheet catalogue / brochure in support of specification	Deviation / Remarks
1	Laboratory Stool and E-Library Chair	<p>Lab Stool Lab Stool having size 660mm height. All structure has given in 25mm round in the thickness of 1.6mm.Lab Stool has two support beam which size is 25x25x1.6mm. Shell use for seat which material is PVC. Front side has given PVC Buffer and back side has rubber shoe for avoiding sketches at the bottom of the floor. Provided high quality cold rolled close annealed(CRCA) pipe anticorrosion treated components, duly power coated with ten tank phosphating procedure with 50 to 60</p> <p>E-Library Chair Cantilever Chair with PU Molded Seat and Back with Powder Coated Metal Frame</p>				
2	Warranty	1 Years				

Signature of the Bidder

Signature of the Block Development Officer


[Handwritten Signature]
13-05-2023

TECHNICAL SPECIFICATION TO BE FILLED BY BIDDER

Name of the Item - Equipment Storage Glass Door Almerah and Dual Face Library Rack

Sl No	Item	Detail Specification	Make/Model	Compliance (Yes / No)	Corresponding page no and sl no / para no of data sheet catalogue / brochure in support of specification	Deviation / Remarks
1	Equipment Storage Glass Door Almerah and Dual Face Library Rack	<p>Glass Door Almirah Bookshelves having size of 1825(h)x825(w)x400(d)mm with 4 adjustable shelves. All body sheet thickness in 18 gauge. The dimension of door is 1375x385x0.8 mm and in which fitted glass which thickness is 4 mm. Below of the glass door has provided metal door which size is 314x385x0.8mm duly powder coated. Skirting has given at the bottom of metal door in the height of 75mm. Almirah has given 25x25x0.8mm Pipe frame for support top bottom & side frame connect with support bracket. Provided high quality cold rolled close annealed (CRCA) sheet anticorrosion treated components, duly powder coated with ten tank phosphating procedure with 50 to 60 microns. Dual Face Library Rack CRCA Sheet with powder coated, Provided shelves for keeping books.</p>				
2	Warranty	1 Years				

Signature of the Bidder


 Signature of the Block Development Officer
 Nabarangpur