OFFICE OF THE PANCHAYAT SAMITI, CHANDAHANDI **DIST-NABARANGPUR**

Bid Invitation No-01/2023-24

QUOTATION CALL NOTICE

No: 2514 /2023

Dated: 11/12/2023

1. The Block Development Officer, Chandahandi invites single cover item rate bids for execution of the following works as underneath in the table from the Original equipment's Manufacturers (OEM)/ Authorized Dealers/ Reputed firms on production of definite proof from appropriate authority. The bidders may submit bids for any or all of following works.

SI. No	Procur ement Officer	Name of Items	Quanti ty	Earnest Money deposit (EMD)	Cost of Bid documents	Period of Completion
1	2	3	4	5	6	7
1		Smart Panel Board (65") inches	1	Rs.3000 /-	Rs. 2,000/-	07 days
-2		Desktop Computer with Antivirus	1	Rs. 2500/-	Rs. 2,000/-	07 days
3		Dual Desk	1	Rs.1500/-	Rs. 2,000/-	07 days
4	Block	Sliding Panel Board enclosure with Green and White Board along with 2 Nos of Podium	1 set	Rs. 2000/-	Rs. 2,000/-	07 days
5	Develo pment Officer	Laboratory Table (Physics, Chemistry), E- Library Table (20-Seater) and Linear Work Station (10Seater)	1 set	Rs.5000/-	Rs. 2,000/-	07 days
6		Laboratory Stool (set up of 10 Nos) and E- Library Chair (set up of 20 Nos)	1 set	Rs. 2000/-	Rs. 2,000/-	07 days
7		Equipment Storage Glass Door Almirah (set up of 1 Nos) and Dual Face Library Rack (set up of 2Nos)	1 set	Rs. 2000/-	Rs. 2,000/-	07 days

- The Bid documents will be available in the website: www.nabarangpur.nic.in from 10:00 Hours of 12th December, 2023 to 16:00 Hours of 18th December 2023 for downloading.
- 2. No Bid documents will be sold by the Panchayat Samiti, Chandahandi or any other bidders shall download the details bid documents from the offices. Interested website www.nabarangpur.nic.in and attained / filled all the documents before submitting.

1 | Page

Signature of the BDO, Chandahandi

Signature of the Bidder

- 3. The bids shall be received only at Panchayat Samiti, Chandahandi Dist.-Nabarangpurthrough Regd. Post/Speed post only.
- 4. Bid shall only be received through Registered /Speed post only on or before 16:00 Hours of 18th December-2023. The authority will not be responsible for any postal delay. The bids received during the above said period will only be considered.
- The bidder must quote their price in INR only as the payment will be made in Indian Currency only.
- 6. Tax deduction at source (TDS) shall be done as per the provision of I T Act/Rules.
- The bid paper cost and EMD amount should be submitted separately in two separate
 Demand Draft only.
- No bids shall be considered valid if not accompanied with bid paper cost (Non-refundable) & EMD only in the shape of Demand Draft in favour of BDO Chandahandi payable at Bank of Baroda, Chandahandi.
- For a particulars work a bidder can submit only one bid paper. Submission of more than one bid paper by a bidder for a particular bidder will be liable for rejection of all such bid paper.
- 10. The bids received within the stipulated time through Registered /Speed post only shall be opened at 11:00 hours on 19th December-2023 in the Conference Hall of Panchayat Samiti, Chandahandi in presence of bidders/their authorized representatives till completion of the bid process.
- 11. The authority reserves the right to reject any or all bids without assigning any reason thereof.
- 12. In case the amount quoted in the bids by two or more bidders are equal, transparent lottery system will be used to decide the successful bidders. Amount quoted will be considered up to an accuracy of two decimal points in all cases.
- Subsequent corrigendum/Addendum if required shall only be available in web site indicated above.
- 14. All should go through the Notice Inviting detailed quotation call notice before submission of bid papers.

2 | Page

Signature of the BDD, Chandahandi

15. In case of any clarification, responsibility lies with the bidder to collect the same from the Office of the undersigned before last date of submission of bid documents. The undersigned shall have no responsibility for any delay

Chandahandi

Memo No: 2515 /2023

Copy submitted to the DIO, NIC, Nabarangpur with a request to upload this notice and bid documents in the district portal for wide publication.

Chandahandi

Memo No: 2516 /2023

Date 11/12/2023

Copy submitted to the DEO, Nabarangpur /BEO, Chandahandi / DIPRO, Nabarangpur for favor of kind information & Necessary action.

Copy submitted to all Block Development Officer/all Tahasildar/all CDPOs of Nabarangpur District for favour of kind information with a request to display it in their office notice board for wide publicity.

Chandahandi

Memo No: 2517/2023

Date 11/12/2023

Copy submitted to the Collector-Cum- E O-Zilla Parishad, Nabarangpur / C D O Cum-E O-Zilla Parishad, Nabarangpur for favor of kind information & necessary action.

Block Developm

Chandahandi

3 | Page

Memo No: 2518/2023

Date: 11/12/2023

Copy forwarded to all the members of the Purchase Committee for information & necessary action. They are requested to remain present at that time of opening the sealed covers of Bid papers and scrutinized the paper in the scheduled date fixed on 19th December-2023 at 11.00 AM in the Conference Hall of Panchayat Samiti, Chandahandi.

Block Development Officer, Chandahandi

Memo No: 25/9/2023

Date: 11//2_/2023

Copy submitted to the Deputy Director (Advertisement) information and public relation Department, Govt. of Odisha. Near State Guest House, Bhubaneswar-751001. The text may kindly be published in one issue of two nos of reputed widely circulated Odia Daily news paper (local) by 12.12.2023 within the size of 8cm x 7cm at I&PR rate for one insertion only.

Block Development Officer, Chandahandi

4 | Page

Signature of the BDO, Chandahand

DETAILED TECHNICAL SPECIFICATION OF THE PROCURED ITEMS

Iter	Major Specification
	Screen Size- 65", Panel type - IPS, resolution (pixel) - UHD 3840x2160, Aspect Ratio -
	16:9, Brightness (typical nits: cd/m2) – 440nits or Higher, Response time (ms)- 8ms or Faster,
	Operating hours: 16/7, Panel Bit- 10 bit, SOC-1.25 Ghz to 2.1Ghz or Higher, System Memory
	- 4GB RAM or Higher, Operating System- Android 11 or Higher, Maximum (Watt) -420W
Smart	or lower - Multi Touch Capacity -Maximum 40 point, Accuracy - ±1.0mm, Touch response
Panel	time ≤5 ms, Available object size for touch :Ø2 mm† ,Touch Output - 2 × USB , Surface
Board (65") inches	Hardness – Toughened Glass with 9H Level 7 Mohs or Higher, Wi-Fi Slot type -802.11a/b/g/n/ac/ax
especially	(wi-Fi 6), Bluetooth – 5.0, Lan : Gigabit Lan, RGB(VGA) Input- x1, Input HDMI (3, HDCP 2.2)
Samsung / Panasonic /	Output- HDMI x1 , Audio in x1, audio out - (1,optical 1 (SPDIF), RJ45 Port -(Both in Input
LG /Sony	& Out Put), Input [USB 3.0 (Type A) x 4more , USB 2.0 (Type A)- x1 USB Type C (USB-PD,
	DP-Alt) x1or more,] Internal Speaker - 2 x 15W or Higher, Wireless Screen Sharing on
	Pane I - Option to have up to 9 simultaneous source feed shared on Panel, Blue tooth (Slot type)
	connectivity : for Speaker, key Board, Mouse etc.
	Product and Brand Certification - BIS,FCC,CB,CE,UL,ROHS,ISO 9001, 14001,45001
	On Site OEM Warranty - 3 Years.
	OPS: Ci5 11thgen,8GB RAM,512GB SSD, Windows 11, inbuilt, Antivirus Total Shield.
	ups: Capacity:1000va/600w, Input Voltage Range: 140 V ~ 300 VAC, Frequency: 50 Hz ± 10%,
	Output Voltage: 230 VAC Nominal, Transfer Time: Typical 4~8ms, Waveform (Battery Mode): Modified
- 1	Sine Wave, Battery type: Sealed Maintenance Free, Charging Time: 6~8 Hours recover to 90%
1	capacity, Operating Temperature: 0°C-40°C, Relative Humidity:
- 1	0 to 90% Non-Condensing, Noise Level: < 40dB, Cold Start Function, Generator Compatibility,
	Auto Restart while AC is recovering, Boost and Buck AVR - Ultimate Voltage Stabilization,
	JPS OEM Presence in- India more than 15 years,
	UPS Certifications:FCC,CE,NABLTESTREPORT,ROHS,ISO9001,14001,45001,27001,BIS,Factory in
- 1	ndia, MII 50%.

5 | Page

Signature of the Bidder

Signature of the BOO, Chandahandi

Desktop especially from HP / Dell

Processor: 12th or Higher Gen Intel Core i3 64 bit; RAM: 8GB DDR4;

HDD: 1 TB with 256 GB SSD; Graphics: Intel UHD; Keyboard, Mouse: Network: Integrated

10/100/1000 Gbe LAN, Intel 802.11 Wi-Fi, Bluetooth; Operating System: WIN11 Professional (Pre-

Loaded), / Display Monitor: 21.5", 1920x1080 Pixel Warranty: 3 Years

Antivirus Software Total Shield with AV Test, ICSA LAB and OPS WAT certification, OEM

Should have local service and support centre. The OEM should ensure (documentary proof)

branch level support and onsite technical support directly (not via any third party).

The OEM must have ISO 27001& ISO 20000 certified technical support.

Dual Desk

Key Specification: Overall weight of Desk 31 K.G Approx. Structure made with 0.8mm thick CR Sheet. Stiffeners made with 25x25 mm square tube of 1 mm wall thickness. Side structure made with CR Sheet press formed and welded to 50x25mm tube of wall thickness 1mm with 25mm round tube of 1.2mm wall thickness. Front Modesty panels & bottom shelf made with 0.8mm thick CR sheet. MS frame duly Powder coated. Desk top made with 17mm thick Prelam MDF with 1.3mm PVC edge binding on all sides. Wooden top panel- 18mm injection molded top with size 10 1100x400mm. top having pen box for stationery items collection. Injection molded top all four-side bounded by PVC. Dimensions Length of Desk: 1050mm, Width of Top: 400mm, Width of Seat: 300mm, Width of Back: 150mm, Desk Height: 750mm, Seat Height: 450mm.

Sliding Panel Board enclosure with Green and White Board along with 2 Nos of Podium

Sliding Panel Board: Enclosure with Green & White Board Outer Length of Frame:3600 mm, Outer width of Frame:1300 mm, Thickness of Frame (Depth):210 mm, Frame is made of Aluminum with Bronze color anodizing.4 numbers boards are fitted in size of 890 mm X 1205 mm (2 boards are fixed and 2 boards are movable with lock & key. Base material of board is made of XPS/Thermocol with 14 mm thickness. Front metal sheet is having thickness 0.3 mm with choice of Green Resin surface for writing/Green ceramic surface for writing/White resin surface for writing. Back side metal sheet is color coated /GI sheet with thickness of 0.2-0.3mm. The magnet is provided in the system which will get locked when it is completely open and the boards are having wheels with bearing for smooth movement. Whole system is mounted on the wall with the help of 6 metal clamps having thickness of 3mm. Sliding cabinet is used for protecting the TV under compact lockable condition and also providing four writing board for class room purpose. Sliding cabinet is being supply in SKD condition so it is very easy to install.

WOODEN PODIUM: (Overall Size 600Wx500Dx11500H) Podium having size of 600 (w) x500

6 | Page

Signature of the Bidder

Signature of the BDO Chandahandi

(d)x1150(h) mm. All part podium of has made of 18mm engineered wood. Cable manager has also providing in podium. PVC buffer has given below of the podium for avoiding sketched at the bottom of the floor.

Laboratory Table (Physics, Chemistry), Office Chair and Table (Set up of 1 Table and 8 Chair) and E-Library Table (10-Seater) and Linear Work Station (10 -Seater

Chemistry Lab Table: 4-seater Lab Table Size of the table - 2400mm X 1200mm with granite top of 17mm thickness & edges will be of 35mm thickness with 2 stainless steel sinks & 2 taps attached with 2 drawers & 2 cupboards for storage with beaker stand having 4 electrical sockets, 2 shelves & plugs points under structure will be made of MS sheet of 0.8mm thickness & 50-micron powder coating.

Physics Lab Table: Size of the table 1800mm X 1200mm with granite top of 17mm thickness & edges will be of 35mm thickness with 2 drawers & 2 cupboards for storage with 4 electrical sockets having 2 switches & 2 plug points. Under structure will be made of MS sheet of 0.8mm thickness & 40mm X 40mm square pipe of 1.2mm & 50-micron powder coating.

E-Library Table (10-seater): Seater Conference Table Size - 2400mm X 1200mm 25mm post-form MDF top under structure made of 18mm MDF edges to be edge band with 2.0 mm 0.8mm PVC edge band with hot melt glue.

Linear Workstation 10-seater:10-Seater Work Station Size - 24' L X 4' H X 2' D made of MDF of 18mm with 25mm post-form MDF top with keyboard tray & footrest edges to be edge band with 2.0 mm 0.8mm PVC edge band with hot melt glue.

Office Table (1200W X 480D X 750H) CRCA Sheet with powder coated

Office chair: Height - 855mm, Width - 440mm, Depth - 560mm.

Laboratory Stool and E-Library Chair

Lab Stool: Lab Stool having size 660mm height. All structure has given in 25mm round in the thickness of 1.6mm. Lab Stool has two support beam which size is 25x25x1.6mm. Shell use for seat which material is PVC. Front side has given PVC Buffer and back side has rubber shoe for avoiding sketches at the bottom of the floor.

Provided high quality cold rolled close annealed (CRCA) pipe anticorrosion treated components, duly power coated with ten tank phosphating procedure with 50 to 60

E-Library Chair: Deck Model size 855x440.

7 | Page

Signature of the BOO, Chandahand

Equipment Storage Glass Door Almirah and Dual Face Library Rack Glass Door Almirah: Sizes 1-Width-915 Mm I1-Depth-535 Mm L-Height-1980 Mm (With Knob). TATA Cold Rolled Close Annealed Sheet Used -0.7 MM I1-0.6 MM I-0.5 MM. Phosphating Chemical Treatment. Approx 50 Micron Powder Coated. Computerized Laser Designed Key Lock. Two door fitted glass which thickness is 4 mm. CRCA Sheet with powder coated, provided shelves for keeping books.

1. ELIGIBILTY CRTERIA

- a. The bidder shall be an Original Equipment Manufacturer (O.E.M)/ authorized distributor/ dealer dealing with smart panel board, OPS and UPS.
- **b.** The bidder must possess a valid Registration certificate of O.E.M or authorized distributor/dealer certificate from the O.E.M.
- c. The bidders who have been blacklisted by any State Govt. or Central Govt. organization cannot participate in the bid process during the blacklisting period. A declaration to this effect as per Annexure-I is to be submitted by the bidder.
- d. The successful bidder shall supply, install, configure and support all components of the proposed item (Hardware, Software & firmware, etc.) and shall ensure smooth functioning of all quoted items.
- e. The selected bidder shall be responsible to provide on-site warranty and maintenance support for the supplied item for a period of 3 years.
- f. The warranty & maintenance support start from the date of successfully commissioning of all supplied items or from the Final Acceptance Test (FAT), whichever is later.
- g. The selected bidder after installation and before payment of the bill shall provide training to at least two numbers of teachers with basic operational knowledge of the smart panel board.
- h. At the time of equipment delivery, the selected bidder shall submit a certificate mentioning that the equipment supplied is covered under onsite warranty & support for a period of 3 years.
- i. Successful bidder should replace the materials within one week, at his own cost if found defective or unsuitable.
- j. Sealed covers containing the bid in the prescribed form should be submitted in a single sealed cover, which should be super scribed as "Quotation for the Supply, installation & Commissioning of _______."
- k. No conditional bids shall be entertained and the same will be out rightly rejected in first instance.
- I. Bids should be type-written or computerized and every correction/ overwriting in the bid should invariably be attested with signature of the bidder before submission to the authorities concerned. No revision of price (upward/downward) will be allowed once the bid is opened.

8 | Page

Signature of the BDO, Chandahandi

- m. No bidder shall be allowed at any time on any ground whatsoever to claim revision or modification of rate quoted by him due to clerical or typographical error.
- n. The price quoted by the bidder shall not in any case exceed the privileged market price.
- o. The approved rate will remain valid for 90 days from the date of approval of the rate and it can be extended further by mutual consent.
- p. All the documents submitted must be in English/Odia otherwise its attested English version must be attached in the bid document.
- q. The Authority reserves the right to reject all bids/ terminate the bid process without assigning any reason thereof.
- r. Green guard (for seating, office furniture range & education furniture), BIFMA membership with test report of dual desk, chair, library rack, laboratory table, steel table, workstation, certificate along with ISO 9001-2015, ISO 45001-2015, ISO 50001:2018, ISO 14001:2018 to be submitted by the OEM / Bidder.
- s. Turnover criteria more than 2cr average turnover of OEM for last two year.
- t. Availability of service centre in Odisha for warranty claim
- u. BLPC (Block Level Purchase Committee) may require sample for technical evaluation for ensure the quality / standard / feature of the product. Without sample submission if asked, bidders will not be considered for next round evaluation.
- v. Bidder must have a registered office in Odisha

3. DOCUMENTS TO BE SUBMITTED

The following certificates should be submitted by the bidder. All the submitted documents are to be self-attested.

- a. Bid cost in the shape of Demand Draft drawn in favour of BDO Chandahandi payable at Bank of Baroda, Chandahandi.
- b. Earnest Money Deposit in the shape of Demand Draft drawn in favour of BDO Chandahandi payable at Bank of Baroda, Chandahandi.
- c. Bid price Schedule in prescribed format (Schedule-I) *The Cost of the material (bid price) should be mentioned Bothe in figure & /word in the financial bid. Non-mentioning the unit price of the material both in figure & word will be a criteria for rejection.
- d. Affidavit with self-declaration for non-blacklisting by any State Govt. or Central Govt. organization. (Annexure-I)
- e. Self-attested copy of GST registration Certificate (3pages).
- f. Self- attested copy of PAN Card.
- g. Self-attested copy of valid registration/ dealership certificate.
- h. No Relation Certificate (Annexure-II).
- Bidder's profile (Annexure-III).

9 | Page

Signature of the BDD, Chandahand

- Copy of brochure in support of Technical specification of equipment.
- k. Check list (Annexure-IV).
- I. Self-attested copy of update (recent) GST return certificate with seal and signed
- m. Self-attested copy of last one financial year it returns 2021-22,2022-23 with seal and signed.
- n. A self-declaration to be attached regarding their organization is not banned/debarred from any other buyer

The bidders should quote their price (both in figure and words) inclusive of excise duty, insurance, packing, forwarding and freight (i.e. door delivery) but exclusive of GST only. The GST should be quoted separately.

The bids shall be opened in the Conference Hall of Panchayat Samiti, Chandahandi in the presence of the bidders/ their authorized representatives, who may wish to be present on the spot at that time. The date and time of opening of the bids are mentioned in the NIT.

The bidder with lowest evaluated financial bid (L1) would be considered for award of the contract. In case, the lowest bidder (L1) is disqualified after selection for any reason then negotiations will be made with the second lowest bidder (L2) for award of the contract at (L1) price. However, the decision of the authority will be final during the finalization stage.

A copy of the bid documents should be signed with office seal duly affixed and submitted in the cover along with other documents required, Bid cost & EMD, etc. the paging must be done on all documents submitted.

4. NON RESPONSIVE/ REJECTION CRITERIA

The bid will be rejected if any of the following documents are not submitted with tender,

- a. Tender Cost
- b. Earnest Money Deposit (EMD)
- c. Affidavit
- d. No relation Certificate
- e. Self-attested copy of GST registration certificate (3pages)
- f. Financial bid/ quoted rate submitted without signature and seal of the bidder
- g. Any pre-condition mentioned in this document.

5. EARNEST MONEY DEPOSIT

The Bid document cost & Earnest Money Deposit cost deposited separately

10 | Page

Signature of the DO, Chandahand

in the shape of Demand Draft drawn in favour of B.D.O. Chandahandi payable at Bank of Baroda, Chandahandi. EMD in any other shape will not be accepted.

The EMD will be forfeited by the authority if the bidder

- a. Withdraws the bids in any respect within the submission or validity of the bid or does not accept the approved rate.
- Fails to furnish the required performance security within the specified period.
- c. On submission of false or fabricated documents/ information in bid documents.

The EMD of the unsuccessful bidders only will be returned back without interest after finalization of the tender/ bid and EMD of the successful bidders will be returned only after deposit of the performance security/ security deposit according to terms & conditions stipulated in the bid document

6. SECURITY DEPOSIT (PERFORMANCE SECURITY)

The selected bidder must deposit the 1% internal security money of Bid value at the time of agreement in shape of DD in favour of BDO Chandahandi payable at Bank of Baroda, Chandahandi within 7 days from the date of issue of Purchase Order/ Supply Order. In case the concerned bidder fails to deposit the internal security deposit no payment will be released to the bidder.

The security money will be returned without any interest after completion / installation of the equipment.

7. SUPPLY CONDITIONS

The approved bidder will supply, install and commission the equipment's as per the technical specifications given in Annexure-V within 7 (Seven) days from the issue of the Purchase Order/ Supply Order. Necessary arrangements will be made by the supplier for proper installation of equipment's in the concerned 5T High schools to ensure the functionality of the equipment. No separate transportation and service charges to this effect will be paid by the consignee. The approved bidder shall deliver, install and commission the equipment at all the school point from the Block point. The bidder will Also arrange a 2 days training programme for functioning/operating of smart panel board at all the concerned school point. In all cases the responsibility of the purchaser will start only after delivery and due verification of the equipment.

8. ISSUE OF PURCHACE ORDER/ SUPPLY ORDER

The purchase order / supply order will be placed to the responsive lowest bidder.

9. AGREEMENT

The successful bidder shall execute an agreement on a non-judicial stamp paper with the Block Development Officer, Chandahandi within 7 (Seven) days from the date of receipt of the Purchase Order/ Supply Order.

11 | Page

Signature of the Bidder

10. TERMS OF PAYMENT

No advance payments will be made to the supplier in any circumstances. The supplier has to submit the bill/ invoice in triplicate and a photocopy of the Purchase Order/ Supply Order at the time of supply for necessary stock entry by the concerned HM of the 5T High School with the support of delivery challan. It shall remain open to audit by authorized auditor and for inspection by competent authorities as and when required. Payments will only be released after confirmation of receipt of materials in good condition at respective school point by the H.M. and after training of at least two numbers of teachers with basic operational knowledge of smart panels and other computer accessories.

Payments will only be released as soon as possible after keeping the security deposit if All payments will only be made online (Bank transfer).

11. **LEGAL**

The successful bidder will enter into an agreement with the B.D.O, Chandahandi with in 3(Three) days from the date of approval of the tender as per requirement, terms and conditions.

In the event of any dispute arising in respect of the clauses of the agreement the same shall be resolved through negotiation. Alternatively the dispute shall be referred to the next higher authority or controlling officer for his decision and the same shall be binding on all parties.

In the event of any litigation arising out of the tender such matters would be subject to the jurisdiction of Hon'ble High Court, Orissa.

12 | Page

Signature of the BDO, Chandahandi

AFFIDAVIT

The undersigned do hereby certify that he/ his firm	
Is an Original Equipment Manufacturer (OEM)/ Authorized Dist	ributor/ Authorized
Dealer bearing Registration No	
2. The undersigned do hereby declare that neither my/ our	
	uent partners have been
derecognized/ blacklisted by any State Govt. or Central Govt.	organizations for any
reasons.	TO LU
3. The undersigned do hereby declare that the undersigned poss	
registration certificate with GST No	
4. The undersigned also hereby certifies that neither my/ our firm	n/ company/
Individualsnor any of its	constituent partners have
abandoned any project work of similar nature in India nor any	
such works have been rescinded during the last five years pri	
5. The undersigned do hereby authorize and request(s) any ban	
corporation to furnish pertinent information as deemed neces	
by the department to verify this statement or regarding my/ o	ur competency and
general reputation.	
6. The undersigned understands and agrees that further qualify	ing information may be
requested and agree to furnish any such information at the r	equest of the department.
7. The undersigned also understands that the Tender Inviting A	authority can forfeit the
EMD and or Security Deposit and blacklist the undersigned	for a period of 2 (two) years
if, any information furnished by the undersigned proved t	o be false at any time or no
abiding the tender terms and conditions.	
The undersigned do hereby certifies that all the statements	made in the bid are true
8. The undersigned do hereby certifies that all the state of the state	
and correct to the best of his knowledge and belief.	
	Signature of the bidder
Name of the authorized Officer	Place:-
Title of the office	Date:-
Name of the firm	Date

13 | Page

Signature of the 8DO, Chandahandi

ANNEXURE-II

No Relation Certificate

Certified that I am not related to any officers / Clerk / any staff of panchayat Samiti ,
Chandahandi block. I am aware that, if any facts subsequently proved to be false my contract will be rescinded with forfeiture of EMD/SD.

I also note that non submission of this certificate will render my tender liable for cancellation.

Name of the authorized Officer
Title of the office
Name of the firm

Signature of the bidder

Place:-

Date:-

14 | Page

Signature of the BDO, Chandahandi

Signature of the Bidder

ANNEXURE-III

DETAILS OF BIDDER

SI. No.	Items	Details
1	Name of the bidder	
2	Address of the registered Office	
3	Address for communication	
4	Telephone No.	
5	Mobile	
6	Fax	
7	E-mail ID	
8	GST Number	
9	PAN	
10	Name of the authorized person, Mobile No. & address	
11	OEM Registration No./	
	Authorized Distributor No./	
	Authorized Dealership No./	
	Supply agency	

Name of the authorized Officer
Title of the office
Name of the firm

Signature of the bidder

Place:-

Date:-

15 | Page

Signature of the Bidder

Signature of the BDO, Chandahandi

BID PRICE SCHEDULE TO BE FILLED BY THE BIDDE

	Name of the equipme	ent with Make/f del No.	Frand With		Cost per unit (inclusive of excise duty, insurance, packing, forwarding and freight (i.e. door delivery))	Rate of GST applicable	Total Amount (in Rs)	
SI. No.	Name	Make/Brand	Medel Ne	Unit				Total Amount (in Figure)
1	Smart Panel Board			1 119				
2.	Desktop Computer with Antivirus			1 119				
4	Dual Desk			1 ng				
5	Sliding Panel Board enclosure with Green and White Board along with 2 Nos of Podium			1 set				
6	Laboratory Table (Physics, Chemistry), Office Chair and Table (Set up of 1 Table and 8 Chair) and E-Library Table (10-Seater) and Linear Work Station (10- Seater)			1 set				
7	Laboratory Stool and E- Library Chair			1 set				
8	Equipment Storage Glass Door Almirah and Dual Face Library Rack			1 set				

Signature of the Bidder

BID PRICE SCHEDULE TO BE FILLED BY THE BIDDER TECHNICAL SPECIFICATION TO BE FILLED BY BIDDER

Name of the Item - Desk-top Computer with Antivirus.

SI No	ltem	Detail Specification	Make/Model	Compliance (Yes / No)	Corresponding page no and sl no / para no of data sheet catalogue / brochure in support of specification	Deviation Remarks
1	Cabinet Form Factor	Tower/Micro Tower (15.1 to 26 Liters)				
2	Chipset Number	Intel H670/ Q670 Chipset or Better				
3	Processor Make	Intel				
4	Processor	Intel Core i3 (x86 64-bit architecture)	1			
5	Processor Description	Intel Core i3 with base frequency of 3.30 GHz or higher, Turbo Boost up to 4.3 GHz 12 MB Intel Smart Cache				
6	Number of Cores and Threads per Processor	4 Cores and 8 Threads or higher				
7	Operating System (Factory Pre- Loaded)	Windows 11 Professional				
8	RAM Size (GB)	DDR- 8 GB 3200 or higher (2 DIIM Slots, 1 must be free for upgradation)				
R	AM Expandability up to (using	64 GB or higher				

Signature of the Bidder

	separate DIMM Slots in GB)			
10	Integrated Graphics	Intel HD 630 or higher		
11	Supported for discrete NVIDIA/AMD Graphics Card up to 6GB	Yes		
12	Type of Drives used to populate the Internal Bays	HDD + NVMe SSD		
13	Total HDD Capacity (GB)	1TB 7200 RPM SATA		
14	Total SSD Capacity (GB)	256 GB NVMe		
14	Optical Drive	Optional		
15	Drive Bays	Two 3.5" (2.5") HDD		
16	Slots for Upgradation	1 PCI Express 4.0 x16, 1 PCI Express 3.0 x1, 1 PCI (Full Height), 2 M.2 slots for WLAN & SSD		
17	LAN	LAN: Integrated 10/100/1000M		
18	li	Front: 1 headphone/microphone combo; 4 Super Speed USB 5Gbps signaling rate; 2 SuperSpeed USB 10Gbps signaling rate total 6nos USB in front Rear: 1 HDMI; 1 line in; 1 line out; 1 power connector;		

		1 RJ-45; 1 VGA; 2 USB 2.0	_	_
		1 10 45, 1 10A, 2 USB 2.0		
19	Security Managemen	TPM 2.0		
20	Hardware Security lock slot	Security lock slot		
21	Software	Total Shield Antivirus		
22	Power Supply	180-Watt Internal power supply with minimum 90% efficiency		
		Bidder should submit OEM bid specific authorization & the same authorization may be verified by the respective OEM if required. OEM must have the ISO 9001,14001, ISO 20001, ISO 27001 Certificate		
23	Certification	Microsoft Windows, Energy star 8.0 certified Bidder should submit BIS, BEE, EPEAT, UL, RoHS Certificate of products at the time of participation of the Bid.		
24	Keyboard Mouse	JSB Keyboard; USB Optical Mouse		
25	Monitor	21.5" LED Display with CTO Certified and the same must belong to the same OEM		
26	Warranty	3 Years Onsite Warranty or more		

TECHNICAL SPECIFICATION TO BE FILLED BY BIDDE

Name of the Item - Smart Panel Board (65")

SI. No.		em	Detailed specifications	Make/Model	Compliance (Yes / No)	Corresponding page no and sl no / para no of data sheet catalogue / brochure in support of specification	Deviation Remarks
	Scree	n Size	65"				
	Panel Te	chnology	IPS				
	Back Lig	ht Type	Direct				
	Aspect	Ratio	16:9				
	Native Re	solution	3840x2160 (UHD)				
	Refres	h Rate	60Hz				
	Bright	ness	440 nits				
	Contras	t Ratio	1,200:1				
	Dynan	nic CR	5000:1				
	Colour	gamut	NTSC 72%				
	Viewing An	gle (H x V)	178 X 178				
	Colour	Depth	10bit, 1.07Billion colours				
1.	Respons	e Time	8ms (G to G)				
	Operation (Hours)		16/7				
	Surface Trea (Haze)	tment	25%				
	For Digital Signal	номі	Yes (3), HDCP2.2				
	For Analog Signal	RGB	VGA (1)				
	Audio	In	Yes (1)				
	RS232C	IN	Yes (1)				
	RJ45(LAI	N)	Yes (1)				
	USB		USB3.0 Type A(4) USB2.0 Type A(1) USB Type C (1)				
	Audio O	ut	Yes (1)				
	Touch US	В	Yes (2)				

Signature of the Bidder

Internal M	lemory	32GB		
Wi-Fi	Built-	Class Sugar		
2000 00 0000	in	Slot type		
Power Ind	dicator	Yes		
Auto brigi senso		Yes		
webOS	ver.	Androld 11.0		
Screen S	hare	Yes		
Operat Tempera	ature	0 °C to 40 °C		
Operat Humid		10% to 90%		
Power Su	upply	AC 100-240V~, - 50/60Hz		
Power 1	Гуре	Built-In Power		
Тур		220W		
Max	c .	420W		
Power	off	0.5W J	7	1
Speak	ker	Inbuilt (15wX2)		
Safet	ty	CB / NRTL		
EMC	С	FCC Class "A" / EE /KC		
ErP / Ener	gy Star	Yes		
OPS ty compat	0.570.77	Yes		
OPS Power	built in	Yes		
Specifica	ation	Ci5 11thgen,8GB RAM,512GB SSB, Windows 11, inbuilt Antivirus Total Shield/Total Protection, Antivirus OEM Should have service and support with a valid GST certificate in the consignee state only and OEM should		
		have ISO		

	9001,20000,27001 certificate.			
Basic	Power Cord 3 M*1, USB Cable (Type A-Type B) 5 M*1, HDMI Cable 3 M*1, Writing Pen*2pcs, User Manual, QSG, Carton Box, Remote Controller (include battery 2ea), Wi-Fi module			
Reponses Time	≤5ms			
Accuracy	±1mm			
Available Object Size for Touch	Ø2 mm↑	7		
Interface	USB2.0			
Protection Glass Thickness	3T (Anti-Glare)			
Operating System Support	Windows 7/8/10/Windows XP/Linux/Mac/ Android (Windows XP/Linux/Mac Support one - point touch)			
Multi touch point	Max 40 Points			
SoC	Quad core A55			
GPU	Mali G52MP2			
RAM	4 GB			
WIFI Slot Type	802.11 .a/b/g/n/ac/ax		man 1 - 1	

	(Wi-Fi 6)				
	e-to-e-vserment.				
LAN	Gigabit LAN				
	Bluetooth 5.0				+
Bluetooth					
Auto Brightness Sensor	Yes				
	PIP/PIB, External				
	Source	1			
Multi- Screen					
Smart Energy Saving	Yes				
	Create Board Share				
Screen Share					1
	Yes		_		
Wake on LAN					
	For More than 15				
	years with				
	Incorporation				
	Certificate				1
Presence In India					
	For more last 5				
	years with GST				
Presence In Odisha	Certification				
Service Set Up in Odisha	Direct				
Minimum Trained Degree / Diploma Engineer in OEM Pay roll	2 Engineer				
For quick service Direct / Authorised franchises in specified location with minimum 6 moth prior legal	Same District				
agreement	ISO 9001:2015,		_		
	ISO 14001:2015			1	
	& ISO45001:2018				
Certification					
	3 Years				
	1		1	1	

	As per	
1		
	Specification	
UPS 1000 VA		

TECHNICAL SPECIFICATION TO BE FILLED BY BIDDER

Name of the Item - Dual Desk

SI No	ltem	Detail Specification	Make/Mod el	Compliance (Yes / No)	Corresponding page no and sl no / para no of data sheet catalogue / brochure in support of specification	Deviation / Remarks
1		Desk Side				
		Frame: CRCA				
		press -formed				
		section of				
		152mm width				
		Legs having double V				
		groove through full height with				
		V Opening of				
		8mm & 5mm				
		depth. Desk				
	Dual Desk	Top Support of				
	Duu. Doon	size 405mm				
		with rounded				
		edge spot				
		welded to the				
		Leg. Leg MiG				
		welded to				
		25x50mm			Y	
		CRFH Tube				
		CRCA Round				
		Tube of				

Signature of the Bidder

25.4mm Dia					
having wall				1	
thickness of	1			ľ	
1.2mm, MiG	1				
welded to					
bench leg at				1	
95 degree.					
Bench pillar					
having			1		
notching for					
perfect welding		1		1	
to round tube.			_	1	
A NAME OF THE PROPERTY OF THE					
Bottle Hanger			1		
made with			1	1	
4mm ms wire					
to be welded					
on both side of		•		1	
desk.				1	
Upper Modesty:					
Panel made with	1				- 1
CRCA Sheet of	1			1	
0 .8mm					
thickness having					
two rivets on	1			1	- 1
each side for	1			1	
fixing with side				1	
frame. The front	1	1			
panel having					
round					
embossing of					
size 12mm		1			
x2.5mm with		1			
four rows of 24					3
each. Total no.				1	- 9
of round				1	
embossing 96				1	
Nos. Dimension:					3
H200mm X		1			
W1000mm XD					

	20mm			
	Lower Modesty:	1		
	Panel made with	1		
	CRCA Sheet of	1		
	0 .8mm			
	thickness having			
	two rivets on			
	each side for			
	fixing with side			
	frame, bottom			
	side having triple			
	bend for better			
	strength. The			
	front panel			
	having square			
	perforation of			
	size			
	12mmX12mm			
	with four rows of			
	24 each. Total			
	no. of square			
	cut-outs 96 Nos.			
	Dimension:			
	H195mm X			
	W1000mm XD			
	20mm.			
	Desk Shelf:			
	Book Shelf of			
	size 240x			
1	996x22mm			
	made with			
	CRCA sheet of			
	0.8mm			
	thickness. Book			
	Shelf having slot			
	cutting for easy			
	fixing with side			
	frame. The Front			
	side having		D	

Γ	tripled bend fo	r				
l	good strength	1				
	and no					
	sharpness.					
	Square pipe:					
	Made with					
	25.4X25.4mm					
	square tube of					
	ISI 4923 wall					
	thickness 1mm					
	having length					
	Wooden					
	top panel-		1		1	
	18mm injection					
	molded top with					
	size 10					
	1100x400mm.					
	top having pen					
	box for					
	stationery items					
	collection.	A				
	Injection molded					
	top all four-side					
	bounded by					
	PVC.					
	Wooden Seat				1	
	panel :17mm					
	both side pre-					
	laminated					
	medium density					
	fibber board					
	(BIS tested) of	(8		
	size 300X1050					
	mm finished with					
	2mm thick PVC					
	edge bending					
	fixed with hot					
	melt glue at					

	temp 180 deg o	n			
	all four sides.	1			
	Wooden Back				
	panel: 17mm				
	both side pre-				
	laminated				
	medium density				
	fibber board				
	(BIS tested) of		-		
	size 152X1050				
	mm finished with	n l			
	2mm thick PVC				
	edge bending				
	fixed with hot				
	melt glue at				
	temp 180 deg or				
	all four sides				
	Tube end: All		1		
	tube ends				
	closed with			*	
	virgin plastic				
	caps. Buffer of				
	8mm height to				
	be fixed at the				
	bottom of Desk.				
	All metal parts to				
	be duly powder				
	coated after 7				
	tanks treatment				
	process with				
	minimum of 65-				
	70micron				
	coating.				
2 Warra	anty 1 Years				

TECHNICAL SPECIFICATION TO BE FILLED BY BIDDER

Name of the Item -Sliding Panel Board enclosure with Green and White Board along with 2 Nos of Podium

SI No	ltem	Detail Specification	Make/Model	Compliance (Yes / No)	Corresponding page no and sl no / para no of data sheet catalogue / brochure in support of specification	Deviation / Remarks
1	Sliding Panel Board enclosure with Green and White Board along with 2 Nos of Podium	Sliding Pannel Board Enclosure with Green & White Board Outer Length of Frame:3600 mm, Outer width of Frame:1300 mm, Thickness of Frame (Depth):210 mm, Frame is made of Aluminum with Bronze color anodizing.4 numbers boards are fitted in size of 890 mm X 1205 mm (2 boards are fixed and 2 boards are movable with lock & key. Base material of board is made of XPS/Thermocol with 14 mm thickness. Front metal sheet is having thickness 0.3 mm with choice of Green Resin surface for writing/White resin surface for writing/White ceramic surface for writing. Back side metal sheet is color coated /GI sheet with thickness of 0.2-0.3mm. The magnet is provided in the system which will get locked when it is completely open and the boards are having	TT65EN23	Yes		

Signature of the Bidder

2	Warranty	1 Years	Yes	
2	Warranty	metal clamps having thickness of 3mm. Sliding cabinet is used for protecting the TV under compact lockable condition and also providing four writing board for class room purpose. Sliding cabinet is being supply in SKD condition so it is very easy to install. WOODEN PODIUM (Overall Size 600Wx500Dx11500H) Podium having size of 600(w) x500(d)x1150(h)mm. All part podium of has made of 18mm engineered wood. Cable manager has also providing in podium. PVC buffer has given below of the podium for avoiding sketched at the bottom of the floor.	Yes	
	_	wheels with bearing for smooth movement. Whole system is mounted on the wall with the help of 6		

MINIM Z

TECHNICAL SPECIFICATION TO BE FILLED BY BIDDER

Name of the Item - Laboratory Table (Physics, Chemistry and Biology), Office Chair and Table (Set up of 1 Table and 8 Chair) and E-Library Table (10- Seater) and Linear Work Station (10-Seater)

SI No	ltem	Detail Specification	Make/Mo del	Compliance (Yes / No)	Corresponding page no and sl no / para no of data sheet catalogue / brochure in support of specification	Deviation / Remarks
1	Laboratory Table (Physics, Chemistry), Moving Chair and Table 1 Nos Teacher Chair 3 Nos and E- Library Table (20-Seater) and Linear Work Station (10Seater)	Laboratory Table Chemistry Lab Table 4-seater Lab Table Size of the table - 2400mm X 1200mm with granite top of 17mm thickness & edges will be of 35mm thickness with 2 stainless steel sinks & 2 taps attached with 2 drawers & 2 cupboards for storage with beaker stand having 4 electrical sockets, 2 shelves & plugs points under structure will be made of MS				
		sheet of 0.8mm thickness & 50-				

Signature of the Bidder

Signature of the Block

micron powder			
coating.		-	
 Physics Lab			
Table Size of the			
table 1800mm X			
1200mm with			
granite top of			
17mm thickness			
& edges will be			
of 35mm			
thickness with 2			
drawers & 2			
cupboards for	1		
storage with 4			
electrical sockets	-		
having 2			
switches & 2			
plug points.			
Under structure			
will be made of			
MS sheet of	1		
0.8mm thickness			
& 40mm X 40mm			
square pipe of			
1.2mm & 50-			
micron powder			
coating			
E-Library Table			
(10-seater)			
•Seater			
Conference		72	
Table Size -	1		
2400mm X			
1200mm 25mm			
post-form MDF			
top under			
structure made			

DIMININ

2 Warranty	1 Years			
	Office chair:		-	
	powder coated			
	Sheet with			
	X 750H) CRCA			
	(1200W X 480D			
	Office Table			
	hot melt glue.			
	edge band with			
	0.8mm PVC			
	with 2.0 mm			
	be edge band			
	keyboard tray & footrest edges to			
	MDF top with			
	25mm post-form			
	18mm with			
	made of MDF of			
	L X 4' H X 2' D			
	Station Size - 24'			
	10-Seater Work			
	seater			
	Workstation 10-			
	Linear			
	glue			
	with hot melt			
	PVC edge band			
	mm 0.8mm			
	band with 2.0			
	of 18mm MDF edges to be edge			

TECHNICAL SPECIFICATION TO BE FILLED BY BIDDER

Name of the Item - Laboratory Stool and E- Library Chair

SI No	I da ma	Detail Specification	Make/Mo del	Compliance (Yes / No)	Corresponding page no and sl no / para no of data sheet catalogue / brochure in support of specification	Deviation / Remarks
1		Lab Stool having size 660mm height. All structure has given in 25mm round in the thickness of 1.6mm. Lab Stool has two support beam which size is 25x25x1.6mm. Shell use for seat which material is PVC. Front side has given PVC Buffer and back side has rubber shoe for avoiding sketches at the bottom of the floor. Provided high quality cold rolled close annealed (CRCA) pipe anticorrosion treated				

Signature of the Bidder

		components, duly power coated with ten tank phosphating procedure with 50 to 60 E-Library Chair: Deck Model size 855x440	
2	Warranty	1 Years	

TECHNICAL SPECIFICATION TO BE FILLED BY BIDDER

Name of the Item - Equipment Storage Glass Door Almirah and Dual Face Library Rack

SI No	ltem	Detail Specification	Make/Model	Compliance (Yes / No)	Corresponding page no and sl no / para no of data sheet catalogue / brochure in support of specification	Deviation / Remarks
1	Equipment Storage Glass Door Almirah and Dual Face Library Rack	Glass Door Almirah Bookshelves having size of 1825(h)x825(w)x400 (d)mm with 4 adjustable shelves. All body sheet thickness in 18 gauge. The dimension of door is 1375x385x0.8 mm and in which fitted glass which thickness is 4 mm. Below of the glass door has provided metal door which size is 314x385x0.8mm duly powder coated. Skirting has given at the bottom of metal door in the height of 75mm. Almirah has given 25x25x0.8mm Pipe frame for support top bottom & side frame connect with support bracket. Provided high quality cold rolled close annealed (CRCA)			specification	
		sheet anticorrosion treated components, duly power coated with ten tank				

Signature of the Bidder

		phosphating procedure with 50 to 60 microns. Dual Face Library Rack CRCA Sheet with powder coated, provided shelves for keeping books.	
2	Warranty	1 Years	

Date:

Signature of the Bidder

Place:

Signature of the Bidder

CHECK LIST

Please put in the respective Box

DOCUMENTS: SUBMITTED OR NOT

SI. No,	Details	Provided or Not	If provided mention page no
1	Cost of Tender paper	Yes/No	
2	Deposit of EMD	Yes/No	
3	Affidavit with legal stamp paper (Annexure-i)	Yes/No	
4	Relation certificate/ Authorized dealership/ Original Equipment Manufacturer	Yes/No	
5	Self- attested copy of valid GST Registration Certificate (3pages)	Yes/No	
6	Self- attested copy of PAN card	Yes/No	
7	No relation certificate (Annexure-II)	Yes/No	
8	Bidder's Information (Annexure-III)	Yes/No	
9	Bid Price Schedule (Schedule-I)	Yes/No	
10	Copy of brochure in support of Technical Specification of equipment	Yes/No	

Name of the authorized Officer
Title of the office
Name of the firm

Signature of the bidder

Place:-

Date:-

16 | Page

Signature of the Bidder

Signature of the BDO, Chandahandi