

# REQUEST FOR PROPOSAL (RFP)

## For Supply of IEC Materials

Tender Notice No.: 3395 / NHM / 2026

Date: 6/4/26

### Name of the Work:

Request for Proposal (RFP) for Supply of IEC (Information, Education & Communication) Materials under National Health Mission

### Issued By:


Office of the CDM & Nabarangpur


At/Po-Nabarangpur, PIN-764059  
National Health Mission (NHM), Odisha  
Department of Health & Family Welfare  
Government of Odisha

  
6/4/26  
DHM

  
6.4.26  
FID

  
CDM & P#0

  
6.04.26  
DPM

  
06-04-26  
DDP#0(P#)

Office Of The CDM & PHO- cum-District Mission Director, Nabarangpur  
District Programme management Unit, NHM, Nabarangpur  
E-Mail:fmg.nhm.naw@gmail.com Contact:9439988885

**SECTION-I**

**DATE & TIME OF TENDER SUBMISSION & FINALISATION**

RFP No. PRINTING/ 3395

Date: 6/4/26

**DETAILED PROPOSALS ARE IINVITED FROM ELIGIBLE BIDDERS FOR SUPPLY OF FORMS/ FORMATS, REGISTER, & FLEX PRINT FOR DIFFERENT PROGRAMME UNDER NATIONAL HEALTH MISSION (NHM)**

1	Period Availability of RFP Document	From: <u>7/4/26</u> to <u>7/5/26</u> (Downloadable from website: <a href="http://www.nabarangpur.nic.in">www.nabarangpur.nic.in</a> )
2	Pre-bid Conference (to resolve all the issues, clarification regarding the bid of interested bidder)	Date:- <u>16/4/26</u> , Time: 11.30 A.M  At Office Chamber of CDM & PHO, Nabarangpur.
3	Last date for submission of Tender & address	Date:- <u>7/5/26</u> Time: 5.30 P.M  Address: CDM & PHO, At/ Po/ Dist.:- Nabarangpur, Pin- 764049 ( Through Speed Post / Registered post / Courier only)
4	Date, time and place of opening of Tender ( Technical Bid)	Date: <u>12/5/26</u> , Time-11.30 A.M. Place of Tender Opening: O/O CDM &PHO, Nabarangpur (Bidders / authorised representative may remain present at the time of opening of tender)
5	Date, time and place of opening of Tender (Financial Bid)	Place of Tender Opening: Only technically qualified bidder will be communicated through registered e-mail id given in <b>FORM – TI</b>

**Office Of The CDM & PHO- cum-District Mission Director, Nabarangpur**  
**District Programme management Unit, NHM, Nabarangpur**  
 E-Mail:fmg.nhm.naw@gmail.com Contact:9439988885

**SECTION-II**

**1.TERMS & CONDITION FOR SUPPLY OF FORMS/ FORMATS, REGISTER & FLEX PRINT FOR DIFFERENT PROGRAMME UNDER NATIONAL HEALTH MISSION (NHM)**

- a) Purchase of Tender Document: Tender document obtained by downloading from the website [www.nabarangpur.nic.in](http://www.nabarangpur.nic.in).
- b) The bidders downloading the tender document & required to submit the tender fee through Demand Draft along with their tender bid, failing which the tender bid shall be not be considered for qualifying in technical bid
- c) The bidder(s) are to submit their tenders in separate sealed covered envelops for technical bid and price bid by superscribing Cover "A" (Technical Bid) & Cover "B" (Price Bid) and both the sealed covers should be put into a third outer Cover, which should be superscribed as "**TENDER FOR THE SUPPLY FORMS/ FORMATS, REGISTER & FLEX PRINT FOR DIFFERENT PROGRAMME UNDER NATIONAL HEALTH MISSION (NHM)**".
- d) The tender should reach to the under signed as per **Section I** through postal (speed post/registered post) service/ Courier Services only in the address **Office of the Chief District Medical & Public Health officer, Nabarangpur, At/Po/Dist-Nabarangpur, Odisha Pin-764059.**
- e) The tenderer or their duly authorized representatives are requested to be present during the opening of the tenders.

**2.TENDER FEE**

**Tender document fee of Rs.2,000/- (Non refundable) in shape of Demand Draft in favour of ZSS, Non NRHM, Nabarangpur from any Nationalised / Scheduled Bank payable at Nabarangpur.**

**3.EMD MONEY:-**

**Earnest Money Deposit of Rs. 50,000/- (Rupees fifty thousand only)(Refundable) in shape of Demand Draft in favour of CDM & PHO, Nabarangpur from any Nationalized / Scheduled Bank payable at Nabarangpur.**

- a) The EMD of successful bidder is liable to be forfeited if the tendered, revokes any terms of the tender within the validity period.
- b) EMDs given by unsuccessful bidders will be refunded after opening of financial bid.
- c) EMD of the successful bidder will be forfeited in case the successful bidder fails to accept/executes the order.
- d) EMD of successful bidder will be converted to **Performance Security** after execution of Agreement.
- e) EMD shall not carry any interest.
- f) In the absence of EMD, technical proposal of the bidder shall be rejected.



**Office Of The CDM & PHO- cum-District Mission Director, Nabarangpur**  
**District Programme management Unit, NHM, Nabarangpur**  
E-Mail:fmg.nhm.naw@gmail.com Contact:9439988885

- g) However Eligible Local MSME are exempted from EMD as per clause D (ii) of MSME notification no. **MSME-IPE-MISC-0060-2019 / 566 /MSME**, Bhubaneswar, dated 24.01.2024.
- h) To be eligible for benefits under this policy, an OSME must have a valid Udyam Registration Number (URN) and must submit an undertaking in shape of affidavit in the format as given in Annexure-A) at the time of bidding.

**3.ACCEPTANCE OF TENDER AND SUPPLY CONDITIONS:**

- a) The C.D.M & P.H.O, Nabarangpur, Odisha reserves the right to reject the tenders or to accept the tenders for the supply of the item tendered without assigning any reason thereof.
- b) The C.D.M & P.H.O, Nabarangpur, Odisha will be at liberty to terminate the contract either wholly or in part without assigning any reasons thereof. The tenderers will not be entitled to any compensation whatsoever for such termination.
- c) The supply should be completed within 15 days from the date of issue of purchase order unless otherwise specified. If no supply is received even after next 15 days i.e. 30 days with liquidated damage from the date of issue of the purchase orders from the C.D.M & P.H.O, Nabarangpur, Odisha, such orders will stand cancelled automatically without further notice. Penalties shall also thereafter be applied to the tenderer.
- d) The approved firm shall also suffer forfeiture of the EMD and Security Deposit.
- e) If the approved supplier fails to execute the supply within the stipulated time, the C.D.M & P.H.O, Nabarangpur, Odisha is empowered to purchase the same items from L<sub>2</sub> or L<sub>3</sub> bidders if they agree to supply in L<sub>1</sub> price or in negotiated Price.
- f) The C.D.M & P.H.O, Nabarangpur, Odisha or his authorized representative (s) has the right to inspect the factory of those company who have quoted for the tender, before accepting the rate quoted by them or before releasing any purchase order (s) or at any point of time during the validity period of tender and has also the right to reject the tender or terminate / cancel the orders issued or not to reorder based on the facts brought out during such inspections.

**DELIVERY:-**

The items will be delivered to the office of the consignee i.e. CHIEF DISTRICT MEDICAL & PUBLIC HEALTH OFFICER, NABARANGPUR/ DIFFERENT HEALTH INSTITUTION IN THE DISTRICT.

**LIQUIDATED DAMAGE :-**

If the successful bidder/ bidders fails to supply the entire quantity within the stipulated period (as mentioned against each item in Para 07 in Section I), liquidated damage @ of the following % of the relevant contract value, per week of delays after the stipulated time shall be calculated :1% for 1st week, 2% for 2nd week, 4% for 3rd week, 8% for 4th week, 16% for 5th week & 30% for 6th week. Default beyond 6th week shall amount to cancellation of work order/contract. The defaulting firm shall not be allowed to participate in the next tender for any item under NHM. Performance Security deposited by the defaulting firm shall be forfeited. If the supplier fails to complete the supply within the extended period, i.e. 42 days after being allowed by the C.D.M & PHO, no further purchase order

**Office Of The CDM & PHO- cum-District Mission Director, Nabarangpur**  
**District Programme management Unit, NHM, Nabarangpur**  
E-Mail:fmg.nhm.naw@gmail.com Contact:9439988885

will be placed to the firm for the said item and the concerned firm will be blacklisted for three (3) years from the date of issue of letter for all the item.

**TERMS OF PAYMENT :**

- a) No advance payments towards cost of material will be made to the tenderer.
- b) 100% payment will be made after successful complete supply of the items to the supplying firm.
- c) No claims shall be made against the C.D.M & P.H.O, Nabarangpur in respect of interest on earnest money deposit or security deposit or any delayed payment or any other deposit.
- d) Payments will be made in shape of NEFT after submission of valid invoice/bill.

**ELIGIBILITY CRITERIA (to be furnished in technical bid, part of cover A)**

1. Tender fee of Rs.2,000/- (non-refundable) should be submitted issued from a Nationalised Bank in favour of ZSS, Non NRHM, Nabarangpur payable at Nabarangpur.
2. EMD money of Rs.50,000/- in shape of demand draft should be submitted issued from a Nationalised Bank in favour of ZSS, Non NRHM Nabarangpur payable at Nabarangpur which will be refunded after the validity of Tender.
3. Copy of valid GSTN registration certificate & GST return (Dec-25 and Jan-26) should be submitted with the Tender Document.
4. Copy of Income Tax return filling of Firm/agency for Last three Financial Years (2022-23, 2023-24 & 2024-25).
5. Copy of PAN should be submitted with the Tender Document.
6. Copy of Registration certificate of the Firm/Agency with the Tender Document.
7. Relevant Experience Details in supplying the printing material in any Govt. organization & submit minimum 01 Photocopies of work orders / contracts executed in support of the information furnished with the tender during last three Financial Years (2022-23, 2023-24 & 2024-25) in **FORM T3**.
8. Declaration of the organization does not have any legal suit / criminal case pending/ blacklisted. (in Affidavit as per annexed format)
9. Undertaking for supply of goods/services as per specification regarding the quality of the products on non-judiciary stamp paper minimum worth Rs.50/-.
- i) Minimum average Turnover Rs 50,00,000/- (Rupees Fifty Lakh) and MSME during last three Years (2022-23, 2023-24 & 2024-25) in **FORM T4**. Certificate from Chartered Accountant (CA) have to be submitted. Local MSME Turnover Exemption is allowed as per notification no. **No. MSME-IPE-MISC-0060-2019 / 566 /MSME**, Bhubaneswar, dated 24.01.2024 .

**Office Of The CDM & PHO- cum-District Mission Director, Nabarangpur**  
**District Programme management Unit, NHM, Nabarangpur**  
E-Mail:fmg.nhm.naw@gmail.com Contact:9439988885

---

10. Declaration in the affidavit that the agency has not been issued any show-cause or notice from any offices for poor performance/non-supply of orders/ non-supply of goods in time frame from any govt. offices/undertakings etc during last 2 years (2022-23 & 2023-24).
11. Details Of Printing Equipment & Machineries Available with The Firm as annexure **FORM-T2**.

**Other Term & Conditions**

1. The undersigned/Committee is not bound to accept the lowest tender rate considering the technical and quality aspect.
2. The goods should be supplied to the destination and no charge for freight should be claimed.
3. The rates should be mentioned including all cost excluding GST which will be paid extra as prevailed in the prescribed Performa separately.
4. The bidder must submit the financial bid & Technical bid as per prescribe format given in the tender, otherwise the bid should be rejected.
5. The tender will not be entertained after due date & time fixed for.
6. If any information or documents furnished by the tender are found to be incorrect or misleading at any stage the tender will be rejected.
7. All the documents should be serially numbered and attested by the authorized signatory of the Firm/Agency in **each page with seal**.
8. The approved rate will be valid for one year from the date of finalisation of the tender and will be Extender another One year on satisfactory performance.
9. All legal disputes are subject to the jurisdiction of **Nabarangpur** Courts only.
10. Conditional Tenders (like alternative price offers etc.) are liable to be rejected. In the event of acceptance, CDM & PHO Office decision will be final. The tender, which is not as per our required specifications will not be considered.
11. Committee selected by the authority may inspect the printing press of the qualified bidder before finalization of financial bid to verify the capacity of printing & other aspects of the offset press & relevant documents.
12. All information, documents and data coming in the possession of the organization as a result of execution of the job shall at all time remain the property of the CDM & PHO, Nabarangpur. The organization shall not make or allow any of his employee or agents etc. to make an unauthorized copy, use, access or other utilization of this material commercially or otherwise, directly or indirectly except as agreed to by the Directorate. The organization shall also ensure complete confidentiality of the information and data provided to it in the course of carrying out the job.

**Office Of The CDM & PHO- cum-District Mission Director, Nabarangpur**  
**District Programme management Unit, NHM, Nabarangpur**  
E-Mail:fmg.nhm.naw@gmail.com Contact:9439988885

---

13. Bidder must have sound knowledge of latest intellectual and property right. The authority who assigns the work is in no way responsible for any deviation made by the printer in this regard.
14. Under no circumstance shall the organization appoint any subcontractor or sublease the contract. If it is found that the organization has violated these conditions, the contract will be terminated forthwith without any notice and security deposited by the organization shall be forfeited.
15. Rates quoted against this tender notice shall remain valid up to 12 months after award of contract. No request for increase in rates, if any, will be allowed or entertained during this period.
16. Printing should be as per Specification. Quality Testing (as per IS) of random samples of the paper / booklet shall be made in the Govt. testing Laboratory & the testing charges has to be borne by the selected printing agency. The tender inviting authority reserves the right to test the paper in more than one Govt. testing laboratory. The GSM of the paper specified in the technical specification should be within the tolerance limit prescribed in the related IS Standard. Any unacceptable deviation from it is liable for rejection /proportion deduction from the amount payable, based on the test report from the Govt. testing laboratory.
17. The tender inviting authority reserves the right to test the papers of the printing item (based on the report if any from the field regarding bad quality of the printing item) at any point of time (within 3 months from the supply of items) by taking random sample from the field where it is used. In case it is found to be not as per technical specification of the tender, then the performance security submitted by the bidder shall be liable for forfeiture of performance security and the agency may also be liable for blacklisting for a period of 3 years from the date of blacklisting.
18. All the documents must be serially numbered and page number must be mentioned in check list.
19. The successful bidder should accept the offer letter with in 15 days of offer letter and execute agreement with undersigned.
20. Undersigned has right to terminate contract with successful bidder if bidder either breach any terms and conditions of tender document and agreement or defaulter in supply of item with in time limit.
21. Further, undersigned has right to terminate the contract by giving one month notice.
22. Those who qualified in technical evaluation their financial bid will be opened for financial evaluation. Item wise evaluation will be done and those who quoted lowest price for each item contract will be awarded to that bidder for respective work. If Price tie then those who have highest turnover the contract will be awarded.

23. The organization will have to submit an Affidavit (On original Stamp Paper of relevant value) with the following clauses:
- (a) Our organization has not been blacklisted by any Government Organization.
  - (b) Our organization does not have any legal suit / criminal case pending against it for violation of PF/ESI/MW Act or any other law.
  - (c) The CDM & PHO Office will have no liability regarding transportation, loading and unloading of material and all the material ordered shall be delivered at the designated place in good condition. The defective or damaged printed material if any will be replaced by the Organization.
  - (d) Our organization agrees to abide by all terms & conditions of tender.
  - (e) We quote our unit price(s) which is exclusive of GST.
24. List of Item and Specification are mentioned in Annexure-B to be submitted in technical Bid.
25. **Submission of Price Bid (Cover-B)**
- a. The Financial Bid shall be placed in a separate sealed envelope clearly superscribed as “**Cover-B: Financial Bid**”.
  - b. The Price Format must be duly filled in, signed, and stamped by the authorized signatory of the bidder.
  - c. No alteration, overwriting, or conditional pricing shall be permitted. Any deviation from the prescribed format may lead to rejection of the bid.
  - d. Failure to submit the Financial Bid in the prescribed format at **Annexure-C** may render the bid liable for rejection.
26. The Authority reserves the right to terminate this Agreement at any time by giving one (01) month’s written notice without assigning any reason thereof. In such an event, the Contractor shall not be entitled to claim any compensation or damages other than the payments due for services rendered up to the date of termination.
27. The Authority/Organization reserves the absolute right to cancel, withdraw, modify, or annul the advertisement/notice at any time, either wholly or partially, without assigning any reason whatsoever.
28. No claim for compensation, damages, loss of opportunity, or any other consideration shall be entertained from any applicant/bidder/party arising out of such cancellation or modification.
29. The decision of the Authority in this regard shall be final and binding on all concerned.

**Odisha Procurement Preference Policy for Micro and Small Manufacturing Enterprises'2023 [See para 1 (B)]**

**BIDDER'S AFFIDAVIT**

**(Applicable to Bidders who fall under the definition of Odisha Small Manufacturing Enterprises)**

I, Shri/ Smt/ Ms.....(Designation) ..... of (name of the Bidder Enterprise)..... solemnly state the following.

1. That annual turn-over of my enterprise is less than Rs. 50 Cr.
2. That my enterprise has a valid Udyam Registration bearing No. \_\_\_\_\_ within the jurisdiction of the State of Odisha.
3. That manufacturing plant/unit of my enterprise is located in Odisha in Village/Town/City \_\_\_\_\_, Block/ULB \_\_\_\_\_, Dist. \_\_\_\_\_.
4. That the goods for which I am submitting this bid are manufactured in the above-mentioned manufacturing plant/unit of my enterprise.
5. That the goods to be supplied by my enterprise shall be its own manufactured goods.
6. That my enterprise shall not supply goods which are not manufactured by my enterprise.
7. That my enterprise has not been blacklisted/debarred by any Government Organization from participating in current procurement process.
8. That my enterprise comes under the definition of Odisha Small Manufacturing Enterprise (OSME), as defined in the Policy, and is, therefore, eligible for preferences and relaxations provided in the Policy for OSMEs.
9. That I am submitting this affidavit in response to the tender No.....dated .....invited by (Organisation Name)..... for supply of (item name) .....

I certify that all information furnished by me as above are true and correct. If any information is found to be incorrect, I and my enterprise shall be liable for any punitive action as deemed appropriate by competent authority.

Date \_\_\_\_\_


Signature of Bidder

Name of the Bidder \_\_\_\_\_

Address \_\_\_\_\_

Mob No.

E-mail:





**Office Of The CDM & PHO- cum-District Mission Director, Nabarangpur**  
**District Programme management Unit, NHM, Nabarangpur**  
 E-Mail:fmg.nhm.naw@gmail.com Contact:9439988885

**FORMATS - Part 1**

**FORM — TI**

**(To be submitted in Technical Bid Envelop)**

**(The documents has to be arranged serially as per the order mentioned below**

**(To be furnished in Technical Bid, part of Cover A)**

Sl.No	Name of Item	Reference	Mention Page No. of Document
1	Name of the Organization		
2	Address of the Organization		
3	Name of authorized signatory <b>(in capital letters)</b>		
4	Telephone/Mobile number & e-mail Id of authorized signatory / organization		
5	GSTIN Registration No. & GST return (3B) for dec-25 and Jan-26.	(Photo copy to be attached)	
6	PAN No.	(Photo copy to be attached)	
7	Draft number and date of the Tender Document Cost of Rs. 2,000/- (Non-Refundable)	(Original Draft to be submitted)	
8	<b>Draft No. &amp; date of EMD of Rs 50,000/-</b>	(Original Draft to be submitted)	
9	Copy of Income tax return ( last three financial years i.e 2021-22, 2022-23 & 2023-24).	(Photo copy to be attached)	
10	Annual turnover certificate duly signed by Chattered Accountant submitted for last 3years (Avg.Turnover must be 50 Lakh year of last three preceding years)	(Furnish as per required Tender Form T4)	

**Office Of The CDM & PHO- cum-District Mission Director, Nabarangpur**  
**District Programme management Unit, NHM, Nabarangpur**  
E-Mail:fmg.nhm.naw@gmail.com Contact:9439988885

11	Declaration of the organization does not have any legal suit / criminal case pending. (in Affidavit)	Original undertaking in non judiciary stamp paper minimum worth Rs.50/-. As per annexure-A	
12	The bidder should have experience of satisfactory supply of tendered item during the last 3 years (2021-22, 2022-23 & 2023-24) minimum 01 Photocopies of work orders / contracts executed.	(Photo copy Satisfactory performance as per <b>FORM T3</b> )	
13	DETAILS OF PRINTING EQUIPMENT & MACHINERIES AVAILABLE WITH THE FIRM.	As per <b>FORM T2</b>	
14	Bank Details of the Bidder:  <i>The bidders have to furnish the Bank Details as mentioned below for return of EMD /Payment of Bill if any (if selected)</i>  a. Name of the Bank : b. Name of the Account & Full address of the Branch concerned:		
15	Whether all <b>documents</b> are submitted and serially numbered and signed by the authorized signatory of the organization in <b>each page with seal</b> (Yes/ No)		

**DECLARATION**

I / we hereby certify that the terms and conditions, specification etc. given with the tender notice have been read carefully and acceptable to me/us and that the information furnished above is correct to the best of my /our knowledge. I / we understand that in case of any deviation in the above statement / furnishing of forged documents etc. at any stage, our Firm/Agency will be blacklisted and will not have any dealing with your organization in future.

(Signature and seal of the authorized signatory)

Place :

Date :

**FORM T2**

(To be furnished in the Technical Bid Envelop)

**DETAILS OF PRINTING EQUIPMENT & MACHINERIES AVAILABLE WITH THE FIRM**

SI.	Name of the printing equipment/machinery	Make/Features	Qty

Authorized Signatory [*In full and initials*]: \_\_\_\_\_

Name and Title of Signatory: \_\_\_\_\_

Name of Firm: \_\_\_\_\_

Address: \_\_\_\_\_

(Company Seal)

**FORM T3**  
(To be furnished in Technical Bid)

**PAST EXPERIENCE IN EXECUTING MAJOR PRINTING  
WORKS**

Name of Assignment *	Name/address of the Organization for which similar printing works have been executed	Date of award of Assignment	Date of completion of assignment	Value of the Work order (Rs.)

\* Note: Please furnish the Work order copies of the works executed in support of the information mentioned above.

Authorized Signatory [In full and initials]: \_\_\_\_\_

Name and Title of Signatory: \_\_\_\_\_

Name of Firm: \_\_\_\_\_

Address: \_\_\_\_\_

(Company Seal)

**FORM T4**

(To be furnished in Technical Bid)

**Audited Annual Turnover Statement**

(In the letter head of the Chartered Accountant)

The audited Annual Turnover for the last 3 (three) financial years of M/s \_\_\_\_\_  
are given below and certified that the statement is true and correct.

Sl. No.	Financial Year	Turnover in (Rs.)
1	2022-23	
2	2023-24	
3	2024-25	

Date:

Place:

Signature of Auditor/Chartered Accountant

(Name in Capital)

Seal

Membership No.:

UDIN No.:

**N.B:**

- 1) It is mandatory to specify the Membership no. & UDIN No. of the Auditor/Chartered Accountant.
- 2) The annual turnover statement should also be supported by copies of audited annual statement of the last three financial years/Annual Report and the turnover figures mentioned above should be highlighted there.

Annexure-A

**Format for Affidavit certifying that Entity / Promoter(s) /Director(s)/Partners of Entity are not blacklisted**

**(On a Stamp Paper of relevant value)**

Affidavit

I, M/s. (the name of the agency with address of the registered office) hereby certify and confirm that:

- (a) Our organization has not been blacklisted by any Government Organization.
- (b) Our organization does not have any legal suit / criminal case pending against it for violation of PF/ESI/MW Act or any other law.
- (c) The CDM & PHO Office will have no liability regarding transportation, loading and unloading of material and all the material ordered shall be delivered at the designated place in good condition. The defective or damaged printed material if any will be replaced by the Organization.
- (d) Our organization agrees to abide by all terms & conditions of tender.
- (e) We quote our unit price(s) which is exclusive of GST.
- (f) Our organization undertake that for supply of goods/services as per specification.

We further confirm that we are aware that, our proposal for the captioned Project would be liable for rejection in case any material misrepresentation is made or discovered at any stage of the Bidding Process or thereafter during the agreement period.

Dated this .....Day of, 2026

Authorized Signatory/Signature [In full and initials]:

Name and Title of Signatory:

(Organization Seal)

## Technical Specification (Part of Cover A)

13

Sl. No.	NAME OF THE ITEM	SPECIFICATION	Unit of measurement
1	<b>Calendar</b>	Size - 75 cm X 50 cm, Process Multi colour (Four colour), Paper- 170 GSM Art Paper, Fixing with adhesive double side Gum tape on the back side of the Calendar.	Per Piece Rate
2	<b>Poster (Type 1)</b>	Size – 44 cm X 56 cm, Paper – 170 GSM Art Paper, Process – Multi Colour Printing.	Per Piece Rate
3	<b>Poster (Type 2)</b>	Size – 44 cm X 56 cm, Paper – 130 GSM Art Paper, Process – Multi Colour Printing.	Per Piece Rate
4	<b>Poster (Type 2)</b>	Size – 44 cm X 56 cm, Paper – 170 GSM Art Paper, Process – Multi Colour Printing. Fixing with adhesive double side Gum tape in the back side of poster.	Per Piece Rate
5	<b>Poster (Type 3)</b>	Size – 44 cm X 56 cm, Paper – 130 GSM Art Paper, Process – Multi Colour Printing. Fixing with adhesive Gum tape entire back side of poster.	Per Piece Rate
6	<b>Poster (Type 4)</b>	Size: 59CMX45.5CM Process: Multi Colour Paper 130 gsm Art Paper, Back all Side Adhesive.	Per Piece Rate
7	<b>Poster (Type 5)</b>	Size: 59CMX45.5CM Process: Multi Colour Paper 130gsm Art Paper, entire Back Side Adhesive.	Per Piece Rate
8	<b>Poster (Type 6)</b>	Size: 44CMX56CM Process: Single Colour, Paper 130 gsm Art Paper, Back Side Adhesive.	Per Piece Rate
9	<b>Leaflet (type 7)</b>	Size – 22 cm X 28 cm, Paper – 130 GSM Art Paper, Process – Multi Colour, Single side Print.	Per Piece Rate
10	<b>Leaflet (type 2)</b>	Size – 22 cm X 28 cm, Paper – 130 GSM Art Paper, Process – Multi Colour, Both Side printing.	Per Piece Rate
11	<b>Leaflet (type 3)</b>	Size – 22 cm X 28 cm, Paper – 90 GSM Art Paper, Process – Multi Colour, Single side Print.	Per Piece Rate
12	<b>Leaflet (type 4)</b>	Size – 22 cm X 28 cm, Paper – 90 GSM Art Paper, Process – Multi Colour, Both Side printing	Per Piece Rate
13	<b>Leaflet (type 5)</b>	Size – 15.5 cm X 21.8 cm, Paper – 130 GSM Art Paper, Process – Multi Colour, Single side Print.	Per Piece Rate
14	<b>Leaflet (type 6)</b>	Size – 15.5 cm X 21.8 cm, Paper – 130 GSM Art Paper, Process – Multi Colour, Both Side Printing	Per Piece Rate
15	<b>Leaflet (type 7)</b>	Size – 15.5 cm X 21.8 cm, Paper – 90 GSM Art Paper, Process – Multi Colour, Single Side Print.	Per Piece Rate
16	<b>Leaflet (type 8)</b>	Size – 15.5 cm X 21.8 cm, Paper – 90 GSM Art Paper, Process – Multi Colour, Both Side printing	Per Piece Rate
17	<b>Folder (Type 1)</b>	Open Size – 44 cm X 28 cm, Close Size - 22 cm X 28 cm, Paper – 220 GSM Art Paper, Process - Multi colour, Single fold, 4 pages, Both side printing	Per Piece Rate
18	<b>Folder (Type 2)</b>	Open Size – 44 cm X 28 cm, Close Size - 22 cm X 28 cm, Paper – 170 GSM Art Paper, Process - Multi colour, Single fold, 4 pages, Both side printing	Per Piece Rate
19	<b>Folder (Type 3)</b>	Open Size – 36 cm X 24.5 cm, Close Size - 18 cm X 24.5 cm, Paper – 220 GSM Art Paper, Process - Multi colour, Single fold, 4 pages, Both side printing	Per Piece Rate

20	<b>Folder (Type 4)</b>	Open Size – 36 cm X 24.5 cm, Close Size - 18 cm X 24.5 cm, Paper – 170 GSM Art Paper, Process - Multi colour, Single fold, 4 pages, Both side printing	Per Piece Rate
21	<b>Folder (Type 5)</b>	Open Size – 28 cm X 14 cm, Close Size - 14 cm X 14 cm, Paper – 220 GSM Art Paper, Process - Multi colour, Single fold, 4 pages, Both side printing	Per Piece Rate
22	<b>Folder (Type 6)</b>	Open Size – 28 cm X 14 cm, Close Size - 14 cm X 14 cm, Paper – 170 GSM Art Paper, Process - Multi colour, Single fold, 4 pages, Both side printing	Per Piece Rate
23	<b>Handouts (Type 1)</b>	<b>Job Type-</b> Folder design, colour, front + back, CMYK ( 4 Colour), <b>Orientation-</b> Landscape, <b>Print Process-</b> Offset, <b>Paper Quality-</b> 100 GSM, Final Print Size- 24.75" X 11.69" inches (Custom size) Post Processes: Creasing, Perforation.	Per Piece Rate
24	<b>Handouts (Type 2)</b>	Size-7 ½ x16 ¾ Inches Paper: 300 gsm Art paper Multi Colour back to back. Binding : 2 fold, Machine Ceasing.	Per Piece Rate
25	<b>Handouts (Type 3)</b>	Size-7 ½ x16 ¾ Inches Paper: 300 gsm Art paper Multi Colour back to back. Binding :3 fold, Machine Ceasing	Per Piece Rate
26	<b>Handouts (Type 4)</b>	Size-1/4 Demi Multi Colour Both Side Printing 2 fold paper Machine Creasing Paper : 170 gsm Map Litho.	Per Piece Rate
27	<b>Handouts (Type 5)</b>	Size-1/6 Demi Multi Colour Both Side Printing 2 fold paper Machine Creasing Paper : 170 gsm Map Litho.	Per Piece Rate
28	<b>Handouts (Type 6)</b>	Size-1/4 Demi Multi Colour Both Side Printing 3 fold paper Machine Creasing Paper :300 gsm Map Litho.	Per Piece Rate
29	<b>Handouts (Type 7)</b>	Size-1/6 Demi Multi Colour Both Side Printing 3 fold paper Machine Creasing Paper : 300 gsm Map Litho.	Per Piece Rate
30	<b>Flipcharts</b>	Job Type- Flipchart, colour, front + back, CMYK ( 4 Colour) Orientation- Portrait, wall calendar style, Refer to image, Print process- Offset, Paper type- 170gsm – 220gsm, uncoated, Final print size- 16.54" X 23.39" inches (A2) Post Process: Spiral Binding, Cardboard on the back, Metal eye (rivet) for hanging it from a nail, Front & Back mirror printing: 1-3,2-5,4-7,6-9,8-11,10-13.....20 blank	Per Piece Rate
31	<b>Docket</b>	<b>Job Type-</b> Colour, Front + Back, CMYK (4 Colour), <b>Pre-Press</b> – Make a screen, <b>Landscape</b> –Portrait, <b>Printing Process-</b> Offset Printing/ Screen Print, <b>Paper Type-</b> 300 GS Matt. <b>Final Print Size</b> – 9 inches X 12 inches, A4 folder, White. <b>Post Process-</b> Pasting of A4 sheet- if you choose offset, <b>Creasing</b> – If you choose offset	Per Piece Rate
32	<b>Patient Treatment Card Book let-1</b>	Cover Page <b>Open Size</b> - 28cm X 22cm, <b>Close Size</b> – 14cm X 22cm, Printing Process - Multi colour with both side printing, <b>Paper quality</b> - 220 GSM Art Paper. Single Fold 4 pages.	Rate per Booklet

		Inner Page Open Size - 28cm X 22cm, Close Size – 14cm X 22cm, <b>Printing Process</b> -black & white both side printing, <b>Paper quality</b> - 80 GSM paper single fold. Total Inner page five pages of open size. <b>Post Process</b> - to be stapled in the middle of the booklet.	
33	<b>Patient Treatment Card Book let-2</b>	Size: A5 (Open Size - 28cm X 22cm, Close Size 14cm X 22cm) Printing: Cover Page: Multi Color Both Side 150 GSM Paper Inner Page: Black and white, both side ,70 GSM No. of pages:36 Post Process - to be stapled in the middle of the booklet.	Rate per Booklet
34	<b>Patient Treatment Card Book let-3</b>	Size: A5 (Open Size - 28cm X 22cm, Close Size 14cm X 22cm) Printing: Cover Page: Multi Color Both Side 150 GSM Paper Inner Page: Black and white, both side ,70 GSM No. of pages:24 Post Process - to be stapled in the middle of the booklet.	Rate per Booklet
35	<b>Patient Case Card-4</b>	1/4 Demy single colour, Paper 250gsm with both side printing.	Rate per card
36	<b>Patient Case Card-4</b>	1/4 Demy Multi colour, Paper 250gsm with both side printing.	Rate per card
37	<b>Printing Forms (Type 1)</b>	Printing of forms in A 4 Paper, Single Side Printing, 70 GSM	Rate Per Piece
38	<b>Printing Forms (Type 2)</b>	Printing of forms in A 4 Paper, Double Side Printing, 70 GSM with thick cover pages.	Rate Per Piece
39	<b>Printing Forms (Type 3)</b>	Printing of forms in A 3 Paper, Single Side Printing, 70 GSM	Rate Per Piece
40	<b>Printing Forms (Type 4)</b>	Printing of forms in A 3 Paper, Double Side Printing, 70 GSM	Rate Per Piece
41	<b>Printing Forms (Type 5)</b>	Printing of forms in A 2 Paper, Single Side Printing,70 GSM	Rate Per Piece
42	<b>Printing Forms (Type 6)</b>	Printing of forms in A 2 Paper, Double Side Printing, 70 GSM	Rate Per Piece
43	<b>Printing Forms (Type 7)</b>	Printing of forms in Legal Paper, Single Side Printing, 70 GSM	Rate Per Piece
44	<b>Printing Forms (Type 8)</b>	Printing of forms in Legal Paper, Double Side Printing,90 GSM.	Rate Per Piece
45	<b>Printing Forms (Type 9)</b>	Printing of forms in Legal Paper, Single Side Printing, 90 GSM, binding with	Rate Per Piece
46	<b>Printing Forms (Type 10)</b>	Printing of forms in Legal Paper, Double Side Printing,90 GSM	Rate Per Piece
47	<b>Printing Forms (Type 11)</b>	Printing of forms in A 4 Paper, Single Side Printing, 90 GSM	Rate Per Piece
48	<b>Printing Forms (Type 12)</b>	Printing of forms in A Paper, Single Side Printing, 90 GSM	Rate Per Piece
49	<b>HBNC Format</b>	Unit: Booklet Size:1/4 Demy Total No. Pages:12 Paper (All Pages):80gsm Maplitho Paper Brightness:77 (Minimum)	Rate per Booklet

		Printing ( All Pages):Both Side Black Binding: Centre Stitching With Perforation Of Last Page (2 Nos. Of Perforation In The Last Page)	
50	<b>HBNC Format</b>	<p>HBYC Formats Unit: Booklet No. of Sheets: 50(25 Sheets marked as Original + 25 Sheets marked as Duplicate) with one carbon sheet in each booklet. Printing Type(Inner Sheets):Single side, Black(In Odia) 1st Sheet of the Booklet shall be printed as "Original"and next sheet shall be printed as "Duplicate" (for taking carbon copy) and this will be repeated in the remaining sheets of the booklet. Paper size :1/4 Demy Paper: Original Sheet(White Colour)—75GSMMaplitho, Brightness : 80 (Minimum) Duplicate Sheet(Yellow Colour)-54GSMMaplitho Binding Tvpe:Top Pad binding with stapling with hard board on back side. Cover Page: 1 cover page on the front (80GSMMaplithoSingle sided Black Printing as HBYC Checklist for ASHA) Perforation: Perforation at the top of the Pad Binding (in Original Sheet of the booklet only)</p>	Rate per Booklet
51	<b>Monthly Meeting Register</b>	<p>Unit: Register Size-20cmx30cm Inner Pges:200 Cover Pages:4 Paper (Inner) : 70gsm Paper (Cover): 70gsm Maplitho to Be Pasted on The Hard Board Binding After Printing (Inner):-Both Side Black Offset Printing. Printing (Cover): Multi Colour Offset Printing of Front and Back Binding: Zoo Stitching with Thick Hard Board &amp; Cloth Binding at Left Side of The Register</p>	Rate Per Register
52	<b>Grade Card</b>	<p>Unit: Card Size:1/4 Demy Printing: Single Side Multi Colour Offset Printing Paper:160gsm Drawing Sheet.</p>	Rate per card
53	<b>Printing of various Incentive Voucher Book: 200 GSM thin board Cover page with binding</b>	<p>Unit: Booklet Size: A4 Total No. of Pages: up to 100 pages Paper (Inner):80 GSM Printing: Black &amp; White Single Side Printing with Perforation.</p>	Rate per page
54	<b>Printing of Various Formats: 200 GSM thin board Cover page with binding</b>	<p>Unit: Booklet Size: A4 Total No. of Pages: up to 30 pages Paper (Inner):80 GSM Printing: Black &amp; White both Side Printing</p>	Rate per booklet
55	<b>Printing of Various Formats: 200 GSM thin board Cover page with binding</b>	<p>Unit: Booklet Size: A4 Total No. of Pages: up to 30 pages Paper (Inner):80 GSM Printing: multicolour both Side Printing</p>	Rate per booklet

56	<b>Printing of various Training Modules: 220 GSM laminated Cover page (multi-Colour) with gum binding.</b>	Total Pages: up to 100 pages Paper Size: A4 Paper: 80GSM Printing: Both Side Black & White: All Pages	Rate per page
57	<b>Printing of various Training Modules: 220 GSM laminated Cover page (multi-Colour) with gum binding.</b>	Total Pages: 100 to 200 pages Paper Size: A4 Paper: 80GSM Printing: Both Side Black & White: All Pages	Rate per page
58	<b>Printing of various Training Modules: 220 GSM laminated Cover page (multi-Colour) with gum binding.</b>	Total Pages: up to 100 pages Paper Size: A4 Paper: 80GSM Printing: Both Side Multi-colour: All Pages	Rate per page
59	<b>Printing of various Training Modules: 220 GSM laminated Cover page (multi-Colour) with gum binding.</b>	Total Pages: 100 to 200 pages Paper Size: A4 Paper: 80GSM Printing: Both Side Multi-colour: All Pages	Rate per page
60	<b>Printing of St. Records &amp; case card</b>	Black & white Printing booklet: <b>Paper Size</b> - Open: 42cm X 28 cm, Close: 21cm X 28 cm, 2. fold. Total pages – Four pages of Open size with both side printing. <b>Post Process</b> – Stapling as booklet of 8 pages as close size. Paper Quality –70 GSM	Rate Per Booklet
61	<b>Booklet Type 1</b>	B/W printing of Binding Booklet - 100 pages (50+50) Original & Duplicate, Paper size-A 4, Paper Quality – 60 to 70 GSM. <b>Post Process:-</b> Binding with cardboard in last page & binding with 220 GSM paper on the top cover of the booklet with tearing mark at the top.	Rate Per Booklet
62	<b>Booklet Type 2</b>	Size-7 ½ x16 ¾ Inches Paper: 300 gsm Art paper Multi Colour back to back. Binding : 2 fold, Machine Ceasing.	Rate Per Booklet
63	<b>Register 1</b>	B/W Both side printing & Binding - 100 pages, Paper size-A 3, Paper Quality –70 GSM. <b>Post Process:</b> - Binding with cardboard in last page & binding with 220 GSM paper on the top cover & last page of the Register.	Rate per Register
64	<b>Register 2</b>	B/W Both side printing & Binding - 200 pages, Paper size-A 3, Paper Quality –70 GSM. <b>Post Process:-</b> Binding with cardboard in last page & binding with 220 GSM paper on the top cover & last page of the Register.	Rate per Register
65	<b>Register 3</b>	Unit: Register Size-A3 Inner Pges:300 Cover Pages:4 Paper (Inner) : 70 gsm Paper (Cover): 70 gsm Maplitho to be Pasted on the Hard Board Binding After	Rate per Register

		Printing (Inner):-Both Side Black Offset Printing. Printing (Cover): Multi Colour Offset Printing of Front and Back. Binding: Zoo Stitching with Thick Hard Board & Cloth Binding at Left Side of The Register	
66	<b>Rolling Register 1</b>	120 pages, Paper Size –FS (34.5 x 21.5) cm, Paper Quality –70 GSM. <b>Post Process:</b> - Binding with front & back of register with 270 GSM multicolour paper.	Rate per Register
67	<b>Rolling Register 2</b>	240 pages, Paper Size – FS (34.5 x 21.5) cm, Paper Quality –70 GSM. <b>Post Process:</b> - Binding with front & back of register with 270 GSM multicolour paper.	Rate per Register
68	<b>Register (Type 1)</b>	100 Pages register with both side printing, Paper Size- A 4 (21 X 29.7) cm, Paper Quality- 60 – 70 GSM. <b>Post Process:-</b> Binding with Thick paper on front & card board on back cover of register.	Rate per Register
69	<b>Register (Type 2)</b>	100 Pages register with both side printing, Paper Size- FS (21.5 X 34.5) cm, Paper Quality- 70 GSM. <b>Post Process:-</b> Binding with Thick paper on front & card board on back cover of register.	Rate per Register
70	<b>Register (Type 3)</b>	100 Pages register with single side printing, Paper Size- (28.5 x 41.5) cm, Paper Quality- 60 – 70 GSM. <b>Post Process:-</b> Binding with Thick paper on front & card board on back cover of register.	Rate per Register
71	<b>Register (Type 4)</b>	200 Pages register with single side printing, Paper Size- A 4 (21 X 29.7) cm , Paper Quality- 60 – 70 GSM. <b>Post Process:-</b> Binding with Thick paper on front & card board on back cover of register.	Rate per Register
72	<b>Register (Type 5)</b>	200 Pages register with both side printing, Paper Size- FS (21.5 X 34.5) cm , Paper Quality- 60 – 70 GSM. <b>Post Process:-</b> Binding with Thick paper on front & card board on back cover of register.	Rate per Register
73	<b>Register (Type 6)</b>	200 Pages register with single side printing, Paper Size- (28.5 x 41.5) cm, Paper Quality- 60 – 70 GSM. <b>Post Process:-</b> Binding with Thick paper on front & card board on back cover of register.	Rate per Register
74	<b>Register (Type 7)</b>	300 Pages Register, <b>Paper size-</b> A 3, Single side print <b>Paper Quality</b> - 70 GSM, <b>Post Process:</b> Binding with Cardboard on the front &back side of Register.	Rate per Register
75	<b>Incentive Voucher book</b>	50 pages voucher book with single side Printing, Paper quality - 80 GSM, Paper size - (10.5 X 29.7) cm. <b>Post Process:-</b> Binding with 220 GSM paper on front & back cover & Tearing mark in the voucher book.	Rate per voucher book
76	<b>Envelope type 1</b>	Printing of Yellow colour Envelope for X-ray film, free size for 10 inches X 12 inches X-ray film, Paper quality-80 GSM.	Rate per Envelope
77	<b>Envelope type 2</b>	Printing of Yellow colour Envelope for X-ray film, free size for 10 inches X 08 inches X-ray film, Paper quality-80 GSM.	Rate per Envelope
78	<b>Envelope type 2</b>	Printing of Yellow colour Envelope for X-ray film, free size for 12 inches X 15 inches X-ray film, Paper quality-80 GSM.	Rate per Envelope
79	<b>Envelope type 2</b>	Printing of Yellow colour Envelope for X-ray film, free size for 12 inches X 12 inches X-ray film, Paper quality-80 GSM.	Rate per Envelope

80	<b>Sticker Type 1</b>	Sticker size - 14 cm X 22, Paper quality - Sticker Paper with multi colour printing. Back side adhesive, ready to paste	Rate per Sticker
81	<b>Sticker Type 2</b>	Sticker size - 28 cm X 44, Paper quality - Sticker Paper with multi colour printing, Back side adhesive, ready to paste.	Rate per Sticker
82	<b>Standee Type 1</b>	Aluminium Framed standee including multi colour quality flex-250 GSM printed banner (Folding Type)	Rate per sq. ft.
83	<b>Standee Type 2</b>	Flex print 250gsm with iron frame angel of (1"x1") - printing & mounting of banner.	Rate per sq. ft.
84	<b>Dynamic Steel frame wide base Standee-3</b>	<ul style="list-style-type: none"> <li>✓ Frame: Aluminum frame with wide base(reusable)</li> <li>✓ Multi Colour fabric media printing with mounting</li> </ul> <p style="text-align: center;">or</p> <p>Standees may be framed using 202 grade steel frames of 3" gauge square pipes with mounting of fabric banners.</p> <p>The matter of the standees should be changed as per the requirement during different occasion and it should be displayed in a suitable place for better visibility to the public on a long term basis.</p>	Per Sq. ft.
85	<b>Printing of Flex Banner</b>	Job Type – Multi colour printing, CMYK (4 Colour) Good Quality Flex (minimum 250 GSM thickness) to be used, Post Process - 4 punch holes at each corner.	Rate Per Sq. ft
86	<b>Change of Flex in Hoardings-1</b>	Good quality flex with Multi colour printing and fitting on the strategic departmental Hoardings at DHH, SDH & Block CHCs.	Rate per Sq. Ft. for Hoarding flex change
87	<b>Change of matter(Fabric) in existing Large hoardings -2</b>	The existing dynamic hoardings should be mounted with new content using fabric media instead of flex banner (use of flex banner is restricted under ban of polythene/plastic act).The theme should be decided on local specific issues and accordingly the content must be designed, printed and mounted utilizing	Per sq ft
88	<b>Vehicle Decoration</b>	Decoration of <b>TATA ACE /MAGIC Vehicle</b> on various campaign programme. The vehicle is to be designed & to be fitted with good quality flex framed with iron square bar of size in each side of the vehicle fully covered along with head top design (Ratha model). The Vehicle will be designed with Gendu flower garland in the front and back (at least 20 garlands of 4 ft length to be provided and decorated. The rated will be quoted excluding Vehicle and fuel charges.	Rate Per vehicle



89	<b>Sun Board- Type 1</b>	Materials to be used - 3 mm Thickness Sun Board. Printing Process – Eco Solvent Vinyl Print multi colour& mounting with steel stud in 4 corners at institutions. <b>(Including fitting charges)</b>	Rate Per Sq. Ft
90	<b>Sun Board- Type 2</b>	Materials to be used - 6mm Thickness Sun Board. Printing Process – Eco Solvent Vinyl Printing & mounting with steel stud in 4 corners at institutions. <b>(Including fitting charges)</b>	Rate Per Sq. Ft
3.3 Specification for vinyl			
91	<b>Retro Signage for RI &amp; UHND/VHND points</b>	Board Size:- 1.5 Ft Height x 1 ft Width Fitting & fixing up signage in Retro -Reflective Sheet with 2 MM tin sheet with UV laminated	Rate Per Sq. Ft
92	<b>Branding/ Mounting of IEC materials</b>	<b>Materials Specification for Branding Work</b>  (Acrylic Signage Display- Sandwich Model), <b>Base Sheet:</b> - Imported Acrylic Sheet - 4mm thickness. <b>Topping Sheet:</b> - Imported Acrylic Sheet - 3mm thickness <b>Fitting type:</b> - Wall mount with stainless stud at 4 corners, <b>Printing Process:</b> -Multi colour printing by using imported colour tone. <b>Lamination:</b> - Matter type lamination, <b>Pasting:</b> - Flash cut and should be orderly pressing without air bubble inside.	Rate Per Sq. Ft.
93	<b>Cloth Banner Type 1</b>	Cloth 30-40 GSM, single color printing with designs.	Rate per Sq Ft
94	<b>Cloth Banner Type 2</b>	Cloth 90 GSM, Multi colour printing with designs.	Rate per unit
95	<b>General Acrylic Sign Board</b>	Materials to be used: Imported Acrylic Sheet, Material Quality: 4 mm Thickness. Process: vinyl pasting ( Eco solvent printing) on back side of the board. - Fitting by Wall mount with stainless stud at 4 corners/ fitting by hanging stand over / side of wall.	Rate Per Sq. Ft
96	<b>Acrylic Sign Board-1( Ama Hospital)</b>	Materials to be used: Imported Acrylic Sheet, Material Quality: 4 mm Thickness. Process: vinyl pasting ( Eco solvent printing) on back side of the board. - Fitting by Wall mount with stainless stud at 4 corners/ fitting by hanging stand over / side of wall.	Rate Per Sq. Ft
97	<b>Acrylic Sign Board-2 (Ama Hospital)</b>	Materials to be used: Imported Acrylic Sheet, Material Quality: 6 mm thickness. Process: vinyl pasting ( Eco solvent printing) on back side of the board. - Fitting by Wall mount with stainless stud at 4 corners/ fitting by hanging stand over / side of wall.	Rate Per Sq. Ft

**Acrylic sheet properties Ama Hospital Branding**

- Tensile Strength - 65 MPa (9400 psi)
- Flexural Strength - 90 MPa (13000 psi)
- Specific Gravity-1.18
- Shrink Rate-0.21% (.002-.01 in/in)
- Colour-Transparent

Warranty: Must provide a Comprehensive Warranty from the single source manufacturer of the acrylic sheet, translucent vinyl and the flexible substrate for a period of at least 4 years

98	<b>Hospital Out Door Signages -1( Ama Hopsital)</b>	<p>4mm ACP or 6 mm WPC Sheet as Substrate with digitally printed Retro-reflective sheet pasting and fixing with appropriate size studs. In case of roof hanging signage. stainless roof hanging studs to be used.</p> <p><b>Substrate to be used:</b> 4 mm ACP (0.25+3.50+0,25-pdvpf coating of approximately 20 to 35 gloss units) or 6mm WPC Sheet</p> <p><b>Warranty:</b> Must provide a Comprehensive Warranty from the single source manufacturer of the acrylic sheet, translucent vinyl and the flexible substrate for a period of at least 4 years</p>	Rate Per Sq. Ft
99	<b>Hospital Out Door Signages -2 (Ama Hospital)</b>	4mm ACP with framing, vinyl pasting (eco solvent printing) or digitally printed retro-reflective sheets	Rate Per Sq. Ft
100	<b>LED Display Board</b>	<p>-LED type display board, display in blue/Red /White colour letters</p> <p>-Visibility: Minimum 200-meter clear visibility with 1 ft high letter size.</p> <p>-Acrylic Sheet: Good quality, virgin monomer as base to place letters.</p> <p>-LED letter Module: IP68 rated water and fireproof</p> <p>-Installation: Outdoor &amp; Indoor in Hospitals as per requirements</p> <p>Acrylic board to be prepared as per the letter size ordered to support the acrylic letters, any support structure (like aluminium frame) at the back of the sheet shall also be provided in order to fix the letters firmly.</p> <p>Price will be quoted as per the square foot rate of Letter placed on the board (separate letter wise size to be calculated to finalize total price estimated for the project.</p>	Rate Per Sq. Ft

101	Digital Standee	<p>Digital display standees commonly feature 55-inch portrait-oriented screens with Full HD (1920 × 1080 1920×1080) resolution, 400-500 nits brightness, and 24/7 operating capacity. They typically run on Android (with 2GB RAM/8GB+ storage), are housed in sturdy, slim metal (GI or Aluminum) frames, and offer Wi-Fi/USB/RJ45 connectivity.</p> <p><b>Key Technical Specifications:</b></p> <ul style="list-style-type: none"> <li>• <b>Sizes:</b> 55 inch models are standard, with heights ranging from 5 to 6.5 ft.</li> <li>• <b>Panel Type:</b> Commercial-grade IPS LED panels with 1100:1 or better contrast ratios.</li> <li>• <b>Brightness:</b> 350-500 nits (cd/m<sup>2</sup>) for indoor, with higher options for brighter environments.</li> <li>• <b>Operating System:</b> Built-in Android (typically 11 or higher) or Windows, with support for media playback (videos, images) Auto operated , requires no external system like computer/laptop for operation)</li> <li>• <b>Connectivity:</b> Wi-Fi, RJ45 (Ethernet), and USB ports are standard for updating content.</li> <li>• <b>Structure:</b> Vertical, slim (e.g., 30mm thickness), freestanding, with toughened glass protection.</li> <li>• <b>Power:</b> 220-240V AC, with, in some cases, power-saving options and, commonly, 20W+ speaker output.</li> <li>• Must have 4 or more star for limiting power consumptions.</li> <li>• <b>Optional Features:</b> No touch Screen required, dust-proof enclosures.</li> </ul> <p><b>Common Configurations:</b></p> <ul style="list-style-type: none"> <li>• <b>55-Inch Model:</b> Often used for indoor retail. 1920x1080 resolution, 300-450 nits, Android-based.</li> </ul> <p>Commonly used in high-traffic public areas for better visibility for health awareness generation.</p> <ul style="list-style-type: none"> <li>• <b>Outdoor Option:</b> Requires higher brightness (up to 1000+ nits) and IP-rated protection.</li> </ul> <p><b>Warranty:</b> Minimum of 3 years:</p>	 <p>Rate per standee</p>
102	Wall Mounted LED Light box for display of Awareness postures.	<p>Material: Aluminium with Acrylic ultra slim Boarder Colour: Black</p> <ul style="list-style-type: none"> <li>• Ultra-Bright &amp; Long-Lasting high quality LED Illumination</li> <li>• Size: A1-Size LED light box features high-quality LEDs that provide superior brightness and uniform light distribution, for ensuring posters are always visible and eye-catching.</li> <li>• Illumination must be UV-free and eco-friendly, adopter attached.</li> </ul>	 <p>Rate per Piece</p>

		<ul style="list-style-type: none"> <li>• Design must be made as to put and remove postures as required, as seen in the picture /Image.</li> <li>• Sturdy &amp; Durable Construction Crafted with a robust aluminium frame and a tempered-glass front panel. use in high-traffic areas.</li> <li>• Sleek &amp; Ultra-Thin Design: Featuring an ultra-thin profile, this backlit poster holder seamlessly should fit any setting, enhance the aesthetics of space while deliver professional, eye-catching displays for awareness.</li> </ul>	
103	<b>Glow Sign Board LED light fitted</b>	Material - Star back lit Flex, Multi-colour printing & fixing on rust free metal frame Box - 18 gauge GI sheet, Back Lid print including electrical quality lighting with LEDs fixed inside. Minimum 200 mtr. Visibility.	Rate per Sq. ft
104	<b>Vinyl print (Poster)</b>	Multi Colour Printing , good quality paper and printing with back side adhesive.	Rate per Sq. ft
105	<b>Erection of new Hoarding</b>	<p>Size of hoarding:8'x16',15'x30',12'x15'.  <u>Specification</u>            Quality: Angle/Joist Frame Used should be of Good Quality.</p> <p>Joist- 5"x2.5"            Angle-3"x3"            Angle 2"x2"</p> <ul style="list-style-type: none"> <li>• Base of each pole of the hoarding should be buried at least 2 ½ feet and cement concreted all around the buried part as well as 1 Ft above the ground.</li> <li>• Frame should be of Iron Angle</li> <li>• Fabric / cloth should be of good quality with digital multicoloured printing.</li> <li>• Fabric / cloth should be fixed by iron pipes and GI Wires.</li> <li>• Structure of the hoarding will be at a height of5 feet from the ground level so as to be clearly visible from distance.</li> <li>• Care must be taken not to selection behind the tree/ any other structure obstructing behind the view.</li> <li>• The hoarding should be so installed (preferably at right angle to the direction of passing road/entrance to the campus area) that it easily catches the vision of the passersby people.</li> </ul>	Rate per Sq. ft.
106	<b>Mini Hoarding</b>	<p>Size of hoarding :- 6ft &amp; 3 Ft  <u>Specification</u>            18 Gauge printed or painted tin plated or Tin plate with Fabric pasting or ACP with Vinyl Pasting            10 Ft SS angle ( 2" L SS Angle )            2ft Inside Ground &amp; Cement Concrete            Ground to Top :- 8.0 Ft Length            6 Ft Width &amp; 3 Ft Long            Mid Joist Bar 3 ft</p>	Rate per Sq. ft

		Quality: Joist- 5"x2.5" Angle-3"x3" Angle 2"x2"	
107	<b>Installation of Retro-Hoarding</b>	<p>Providing, Fixing, <i>fitting</i> retro-reflective sheet on 4 mm aluminium sheet/ ACP (0.25 +3.50+0.25-pdvf coated) OEM Matched component &amp; UV laminated.</p> <ul style="list-style-type: none"> <li>• Upper High efficiency full cube retro reflective sheeting that uses micro prismatic cube-corner elements to better reflect</li> <li>• Digitally printed using traffic colours which covers MCS warranty approved by OEM laminated using over laminated film as per colour and design.</li> <li>• ARAI Certified and having International/National test report of Type IV Sheeting and test report</li> <li>• <b>Substrate to be used:</b> 4 mm ACP (0.25+3.50+0,25-pdvf coating of approximately 20 to 35 gloss units) or 6mm WPC Sheet</li> </ul>	Rate per Sq. ft
108	<b>Printing of Fabric Banner</b>	Job Type – Multi colour printing, CMYK (4 Colour) Good Quality Flex (minimum 240 GSM thickness) to be used, Post Process - 4 punch holes at each corner	Rate per Sq. ft
109	<b>Canopy Type 1</b>	Size:5'x5'x7' Fabric Cotton inner and side of the kiosk/Canopy should be displayed with different message. Process: Steel frame with Good quality flex(minimum 249 GSM thickness) to be used	Rate Per Sq. ft
110	<b>Canopy Type 2</b>	Size:5'x5'x7' Fabric Cotton inner and side of the kiosk/Canopy should be displayed with different message. Process: Iron frame with Good quality flex(minimum 249 GSM thickness) to be used	Rate Per Sq ft
111	<b>Canopy Type 3</b>	Size:5'x5'x7' Flex inner and side of the kiosk/Canopy should be displayed with different message. Process: Steel frame with Good quality flex(minimum 249 GSM thickness) to be used	Rate Per Sq ft
112	<b>Canopy Type 4</b>	Size:5'x5'x7' Flex inner and side of the kiosk/Canopy should be displayed with different message. Process: Iron frame with Good quality flex(minimum 249 GSM thickness) to be used	Rate Per Sq ft
113	<b>IEC Calendar</b>	Size of each sheet of calendar 91CM x 58.5 CM ,No of sheets in each calendar:10 sheets, Colour: Multi colour, Binding: Each sheet both side lamination, Tip wire with hanger, calendar is packed with a strong polythene bag/envelope size 24"x37"	Rate per Calendar

Pg-2


114

**Installation of  
Retro-  
Hoarding**

Providing, fitting, fixing up informative boards using upper high efficiency full cube Retro-reflective sheeting of white colour bonded on to 4mm aluminum sheet/ACP(0.25+3.50+0.25-pdvf coated) over which alphabet sand numerical are printed using of matched component ink sand UV laminated with OEM approved over laminates (covers 3 years warranty from the date of manufacturing on colour fading, peel off) The board shall be provided with frame made out of 202 grade stainless pipes shall be mounted on two vertical posts made out of 50mm NB stainless pipe as have been installed including concreting/reveling reinforcement etc. The height of this post should be 10ft in which 1.5ft under the ground, rest will visible above of the ground.

Per sq ft

Fixing of the board including cost of the materials, conveyance, labor, transportation etc. required for the work.



As these boards are light sensitive with high reflective index for better night visibility. These boards should be fixed preferably on the road sides so that it will be visible at night in traffic light. The Citizen Charter/AAM 12 package service will also be displayed in the Hospitals as per the Prototypes provided by the deptt. the Size will be as per requirements and price will be quoted in Suare ft keeping the Hight of the two vertical posts (stand poles) to remain maximum of 10 ft as per requirements. **Upper Display board area only be calculated for estimate of sq. ft price.**

115	<p><b>Permanent (Iron Frame)</b></p>	<p><b>Preferable Size of hoarding level is–</b>  <b>15ft x 12ft</b> (However, there is flexibility to decide it by concerned City/MC/District level keeping in view the provision of space and visibility.)</p> <ul style="list-style-type: none"> <li>▪ Quality: Angle/Joist frame used should be of good quality MS with epoxy painting.</li> <li>▪ Joist- 5”X 2.5”</li> <li>▪ Angle- 3”X 3”</li> <li>▪ Angle- 2”X 2”</li> </ul> <p>Base of each pole of the Hording should be buried at least 2½ feet M-15 grade cement concrete, reinforcement and cement concreted all around the buried part as well as 1 foot above the ground.</p> <ul style="list-style-type: none"> <li>▪ Frame should be of Iron Angle</li> <li>▪ Fabric/cloth matter should be of good quality with digital multi colored printing</li> <li>▪ Fabric/cloth should be fixed by iron pipe sand and GI wires</li> <li>▪ Structure of the hoarding will be at least at a height of 5 feet from the ground level so as to be clearly</li> <li>▪ Visible from a distance.</li> <li>▪ Care must be taken not to select locations behind a tree/ any other structure obstructing the view.</li> <li>▪ The hoardings should be so installed (preferably at right angle to the direction of passing road/entrance) so that it easily catches the vision of the passers by/people.</li> </ul>	Per sq ft
-----	--------------------------------------	--	-----------

16 Mini Hoardings Type 1

**Display Material:** Preferably 18 gauge printed or painted Tin Plate or Tinplate with fabric pasting or iron framed with fabric or ACP with vinyl pasting

**Total Height from the inside the ground:** 10ft Length Iron angle(2”LMS Iron Angle should be used)

**Base(Inside Ground):** 2.0 ft inside cement concrete


**Above Ground(Ground to Top):**8.0ft Length: 6ftLIronangle(2”LMSIronAngleshouldbeused)

**Mid Joist Bar to support display material:** 4ft L MS Iron angle (2”L MS Iron Angle should be used)

In case of MS Iron angles the water proof Painting preferably epoxy paining should be done.

Per sq ft

Option-1 : Suggested Mini Hoarding Structure Specification (6' x 3')



**Display area:**4ftX3ft**DisplayMaterial:** Preferably 18 gauge printed or painted Tin Plate or Tinplate with fabric pasting or fabric only

**Total Height from the inside the ground:**10ftLMSIronangle(2”LIron Angle should be used)

- Base (Inside Ground): 2.0ftinsidecementconcrete
- Above Ground (Ground to Top):8.0ft


Mini Hoardings Type 2

**Length:** 4ft LMS Iron angle (2”LIronAngleshouldbeused)

In case of MS Iron angles the water proof painting preferably epoxy paining Should be done.


Per sq ft

Option-2 : Suggested Mini Hoarding Structure Specification (4' x 3')



③



18	Retro Signage for UHND & RI Points	<p>Providing painting, fixing up signage using upper high efficiency full cube retro-reflective sheeting of white colour bonded on to 2 mm tin sheet over which alphabets and numerical are reprinted using goematched component inks and UV laminated with OEM approved over laminates.</p>	Per Sq. ft.
			
		<p>It should be displayed outside the UHND/RI Sites to attract public attention with proper visibility in both day and night</p>	
19	Wall paintings for health education	<p>The color to be used for painting should be water proof as per the specification mentioned below;  <b>Size:</b> The size of painting will be as per the availability of the space in the local areas to be decided by the local authority.  <b>Shape:</b> Preferably rectangular  <b>Type:</b> Wall Painting, Hand made  <b>Colour:</b> Multi colour  <b>Finish:</b> Matt finish, Gloss, Smooth &amp; Polished  <b>Medium:</b> Oil  <b>Material:</b> Use best quality Paints That increases the sharpness of color and remain waterproof &amp; long lasting (Acrylic Emulsion , Vinyl, Canvas)  <b>Position:</b> Outdoor          Use Stencils to make uniform designs</p>	Per Sq. ft.

9

120

Installation of SUMAN hoarding Type 1

**Option 1: Single Panel ACP Display Board**

**Display Board (Vinyl board):**



5mm ACP Board pasted with upper high efficiency full cube Retro-reflective sheeting of white color bonded over which

alphabets and numerical are

Printed using OEM matched component inks and UV laminated with OEM approved over laminates for longevity.

**Mounting & Installation of Display Panel:**

The display panels shall be fitted (as per the drawings mentioned below) with two legs of 2" x 2" and 18gauge square pipes. The pipes shall be made of Mild Steel, painted with primer and enamel Colour paint. The total height of the legs shall be 10' out of which 2' shall be inside the ground level with concrete and rest 8' shall be above ground level.



121	Printing of Health Calendar	<p>The calendars may be printed by hired external agencies following due procurement procedures as per the specifications mentioned below; Specifications for wall hanging calendar:</p> <ol style="list-style-type: none"> <li>Size 11.5inchX18inch (Half Demy)</li> <li>Paper-130GSM Art Paper</li> <li>Process - Multi Colour offset printing</li> <li>Binding - Wire-O binding including hanger</li> <li>Noof sheets:7sheets(14pages) both side printing</li> <li><b>Lamination:</b> 8 pages glossy lamination (Optional)</li> </ol> <p>During tender process rate quote maybe invited with lamination and without lamination. If laminated calendars rate quote are within the budgetary limits then order may be given for laminated calendars or else go for not laminated option.</p>	Rate Per Calendar
122	FAQ	<p><b>Size-</b>22cmx28cm (A4)  <b>Process:</b> Multi Colour  <b>Paper :</b> 90 gsm Art Paper  <b>Cover Page:</b>170 gsm Art Paper.</p>	Per Piece Rate
123	FLIP BOOK Type 1	<p><b>Suggested specifications:</b>  <b>Size :</b> 30cmX20cm  <b>Pages :</b> 30 pages (15 sheets) (Tentative)  <b>Paper :</b> 300 GSM Art <b>Paper Printing:</b> Multi colour  <b>Binding:-</b> Wire-O binding  Inner pages both side glossy lamination.  <b>Table Stand:</b> 28no. mill board with 130 GSM art paper Cover pasting.</p>	Rate Per Book
124	FLIP BOOK Type 2	<p><b>Suggested specifications:</b>  <b>Size :</b> 30cmX20cm  <b>Pages :</b> 50 pages (25 sheets)(Tentative)  <b>Paper :</b> 300 GSM Art <b>Paper Printing:</b> Multi colour  <b>Binding:-</b>Wire-O binding  Inner pages bothside glossy lamination  <b>Table Stand:</b> 28no. mill board with 130 GSM art paper cover pasting</p>	Rate Per Book
125	FLIP BOOK Type 3	<p><b>Suggested specifications:</b>  <b>Size :</b> 30cmX20cm  <b>Pages :</b> 80 pages (40 sheets)(Tentative)  <b>Paper :</b> 300 GSM Art <b>Paper Printing:</b> Multi colour  <b>Binding:-</b> Wire-O binding  Inner pages both side glossy lamination  <b>Table Stand:</b> 28no. mill board with 130 GSM art paper cover</p>	Rate Per Book

		Pasting.	
126	<b>CASE RECORD/INFORMATI ON SHEET FOR TOBACCO CESSATION CENTER</b>	Total Pages: 10-30 Pages Paper Size: A4 Cover: Cover 2 Page Paper: 60 or 70GSM Multi Colour: All Pages	Rate per Book
127	<b>COTPA CHALLAN &amp; RECEIPT BOOK</b>	Size :-20 cms x 13 cms. Original & Duplicate copy with serial nos. put in each pages, Single colour, 70 gsm paper, Pages-50 per book	Rate per Book
128	<b>NBSU Case Sheet Docket folder Set (Each Case Sheet docket folder Set shall contain the 5 items)</b>  <b>i.e.</b> 1) Docket Folder: 1 No 2) Discharge Card: 1No 3) Neonatal Case Record Sheet: 1No 4) Treatment Continu & clinical condition record sheet: 3Nos	<u>1A Docket Folder with pocket (1No.)</u>  Unit: Nos. Size:9.6"x12" (Folding Size) Pages:4+inside 1 Pocket Paper:350GSM Art paper (Gloss Finish) Brightness:80 (Minimum) Printing: Multi Colour offset printing {(Front & Back of the folder ) and on pocket } Folding &pasting: One Fold & One pocket (12x24 cm) pasting to contain 9-10nos.sheet. <u>1 B Discharge Card (1No.)</u>  Unit: Nos. Size: 8.5"x11" (Folding Size) Pages: 4 Paper: 120GSM Maplitho, Brightness: 77 (Min.) Printing: Both Side Multi Colour offset printing . folding: One Fold <u>1 C Neonatal Case Record Sheet (1No.)</u>  Unit: Nos. Size: 8.5"x11" (Folding Size) Pages: 4 Paper: 120GSM Maplitho, Brightness: 77 (Min.) Printing: Both Side Multi Colour offset printing . folding: One Fold	Rate per Docket folder Set

		<p><u>1 D Treatment Continuation &amp; clinical condition record sheet (3No.)</u>          Unit: Nos.          Size: 8.5"x11"          Pages: 2 pages back to back          Paper: 90GSM Maplitho,          Brightness: 77 (Min.)          Printing: Bi Colour offset printing .</p> <p><u>1 E Monitoring Nurses Order Sheet (1No.)</u>          Unit: Nos.          Size: 8.5"x11"          Pages: 2 pages back to back          Paper: 90GSM Maplitho,          Brightness: 77 (Min.)          Printing: Bi Colour offset printing .</p>	
<p>129</p>	<p><b>SNCU Case Sheet Docket folder Set (Each Case Sheet docket folder Set shall contain the 6 items)</b>   <b>i.e.</b>          1) Docket Folder: 1 No          2) Discharge Card: 1No          3) Neonatal Case Record Sheet: 1No          4) Investigation Sheet 1No          5) Treatment Continu &amp; clinical condition record sheet: 3Nos          6) Monitoring &amp; Nurses Order Sheet: 1No</p>	<p><u>1A Docket Folder with pocket (1No.)</u>          Unit: Nos.          Size:9.6"x12" (Folding Size)          Pages:4+inside 1          Pocket Paper:350GSM Art paper (Gloss Finish)          Brightness:80 (Minimum)          Printing: Multi Colour offset printing {(Front &amp; Back of the folder ) and on pocket }          Folding &amp;pasting: One Fold &amp; One pocket (12x24 cm) pasting to contain 9-10nos.sheet.</p> <p><u>1 B Discharge Card (1No.)</u>          Unit: Nos.          Size: 8.5"x11" (Folding Size)          Pages: 4          Paper: 120GSM Maplitho,          Brightness: 77 (Min.)          Printing: Both Side Multi Colour offset printing .          folding: One Fold</p> <p><u>1 C Neonatal Case Record Sheet (1No.)</u>          Unit: Nos.          Size: 8.5"x11" (Folding Size)          Pages: 4          Paper: 120GSM Maplitho,          Brightness: 77 (Min.)          Printing: Both Side Multi Colour offset printing .          folding: One Fold</p> <p><u>1 D Investigation Sheet (1No.)</u>          Unit: Nos.</p>	<p>Rate per Docket folder</p>

	<p>Size: 8.5"x11"  Pages: 2 pages back to back  Paper: 90GSM Maplitho,  Brightness: 77 (Min.)  Printing: Bi Colour offset printing .</p> <p><u>1 E Treatment Continuation &amp; clinical condition record sheet</u>  (3No.)</p> <p>Unit: Nos.  Size: 8.5"x11"  Pages: 2 pages back to back  Paper: 90GSM Maplitho,  Brightness: 77 (Min.)  Printing: Bi Colour offset printing .</p> <p><u>1 F Monitoring Nurses Order Sheet (1No.)</u></p> <p>Unit: Nos.  Size: 8.5"x11"  Pages: 2 pages back to back  Paper: 90GSM Maplitho,  Brightness: 77 (Min.)  Printing: Bi Colour offset printing .</p>	
130	<p style="text-align: center;"><b><u>Form-1</u></b></p> <p>Unit: Booklet  Size: 1/4 Demy  No. of Sheets: 50  Paper: 80GSM Map Litho,  Brightness: 77 (Min.)  Printing: Both side Black offset Printing  Binding: Top Pad binding with hard straw board (2mm) on back side</p> <p style="text-align: center;"><b><u>Form-2 (1<sup>st</sup> Brief Investigation Report for ANMs)</u></b></p> <p>Unit: Forms  Size: 1/4 Demy (Closing Size)  Pages: 4  Paper: 80GSM Map Litho,  Brightness: 77 (Min.)  Printing: Both side Black offset Printing  Binding: One Folding at the middle</p> <p style="text-align: center;"><b><u>Form-3a (Verbal Autopsy Form: Neonatal Deaths)</u></b></p> <p>Unit: Forms  Size: 1/4 Demy  Pages: 6</p>	Rate per set

19-1

Paper: 80GSM Map Litho,  
Brightness: 77 (Min.)  
Printing: Both side Black offset Printing  
Binding: Side stapling (2 nos. side stapling)

**Form-3b (Verbal Autopsy Form: Post Neonatal Deaths)**

Unit: Forms  
Size: 1/4 Demy  
Pages: 6  
Paper: 80GSM Map Litho,  
Brightness: 77 (Min.)  
Printing: Both side Black offset Printing  
Binding: Side stapling (2 nos. side stapling)

**Form-3c (Social Autopsy Form)**

Unit: Forms  
Size: 1/4 Demy (Closing Size)  
Pages: 4  
Paper: 80GSM Map Litho,  
Brightness: 77 (Min.)  
Printing: Both side Black offset Printing  
Binding: One Folding at the middle

**Form-4a (Facility based Neonatal Death Review Form)**

Unit: Forms  
Size: 1/4 Demy  
Pages: 6  
Paper: 80GSM Map Litho,  
Brightness: 77 (Min.)  
Printing: Both side Black offset Printing  
Binding: Side stapling (2 nos. side stapling)

**Form-4b (Facility based Post Neonatal Death Review Form)**

Unit: Forms  
Size: 1/4 Demy  
Pages: 6  
Paper: 80GSM Map Litho,  
Brightness: 77 (Min.)  
Printing: Both side Black offset Printing  
Binding: Side stapling (2 nos. side stapling)

Place :  
Date :

Signature & Seal of the authorised Signature.  
Mobile No

## Price Format submitted in Financial Bid (Cover B)

Sl. No.	NAME OF THE ITEM	SPECIFICATION	Unit of measurement	QUOTED RATE (Rs.) (PER UNIT) (Exclusive of GST)	% of GST applicable on & above the price mentioned in column 'e'	HSN code (4 digit code) of the % of GST mentioned in column 'f'
a	b	c	d	e	f	g
1	Calendar	Size - 75 cm X 50 cm, Process Multi colour (Four colour), Paper- 170 GSM Art Paper, Fixing with adhesive double side Gum tape on the back side of the Calendar.	Per Piece Rate			
2	Poster (Type 1)	Size - 44 cm X 56 cm, Paper - 170 GSM Art Paper, Process - Multi Colour Printing.	Per Piece Rate			
3	Poster (Type 2)	Size - 44 cm X 56 cm, Paper - 130 GSM Art Paper, Process - Multi Colour Printing.	Per Piece Rate			
4	Poster (Type 2)	Size - 44 cm X 56 cm, Paper - 170 GSM Art Paper, Process - Multi Colour Printing. Fixing with adhesive double side Gum tape in the back side of poster.	Per Piece Rate			
5	Poster (Type 3)	Size - 44 cm X 56 cm, Paper - 130 GSM Art Paper, Process - Multi Colour Printing. Fixing with adhesive Gum tape entire back side of poster.	Per Piece Rate			
6	Poster (Type 4)	Size: 59CMX45.5CM Process: Multi Colour Paper 130 gsm Art Paper, Back all Side Adhesive.	Per Piece Rate			
7	Poster (Type 5)	Size: 59CMX45.5CM Process: Multi Colour Paper 130gsm Art Paper, entire Back Side Adhesive.	Per Piece Rate			
8	Poster (Type 6)	Size: 44CMX56CM Process: Single Colour, Paper 130 gsm Art Paper, Back Side Adhesive.	Per Piece Rate			
9	Leaflet (type 7)	Size - 22 cm X 28 cm, Paper - 130 GSM Art Paper, Process - Multi Colour, Single side Print.	Per Piece Rate			

Sl. No.	NAME OF THE ITEM	SPECIFICATION	Unit of measurement	QUOTED RATE (Rs.) (PER UNIT) (Exclusive of GST)	% of GST applicable on & above the price mentioned in column 'e'	HSN code (4 digit code) of the % of GST mentioned in column 'f'
10	Leaflet (type 2)	Size - 22 cm X 28 cm, Paper - 130 GSM Art Paper, Process - Multi Colour, Both Side printing.	Per Piece Rate			
11	Leaflet (type 3)	Size - 22 cm X 28 cm, Paper - 90 GSM Art Paper, Process - Multi Colour, Single side Print.	Per Piece Rate			
12	Leaflet (type 4)	Size - 22 cm X 28 cm, Paper - 90 GSM Art Paper, Process - Multi Colour, Both Side printing	Per Piece Rate			
13	Leaflet (type 5)	Size - 15.5 cm X 21.8 cm, Paper - 130 GSM Art Paper, Process - Multi Colour, Single side Print.	Per Piece Rate			
14	Leaflet (type 6)	Size - 15.5 cm X 21.8 cm, Paper - 130 GSM Art Paper, Process - Multi Colour, Both Side Printing	Per Piece Rate			
15	Leaflet (type 7)	Size - 15.5 cm X 21.8 cm, Paper - 90 GSM Art Paper, Process - Multi Colour, Single Side Print.	Per Piece Rate			
16	Leaflet (type 8)	Size - 15.5 cm X 21.8 cm, Paper - 90 GSM Art Paper, Process - Multi Colour, Both Side printing	Per Piece Rate			
17	Folder (Type 1)	Open Size - 44 cm X 28 cm, Close Size - 22 cm X 28 cm, Paper	Per Piece Rate			
18	Folder (Type 2)	Open Size - 44 cm X 28 cm, Close Size - 22 cm X 28 cm, Paper - 170 GSM Art Paper, Process - Multi colour, Single fold, 4 pages, Both side printing	Per Piece Rate			
19	Folder (Type 3)	Open Size - 36 cm X 24.5 cm, Close Size - 18 cm X 24.5 cm, Paper - 220 GSM Art Paper, Process - Multi colour, Single fold, 4 pages, Both side printing	Per Piece Rate			

Sl. No.	NAME OF THE ITEM	SPECIFICATION	Unit of measurement	QUOTED RATE (Rs.) (PER UNIT) (Exclusive of GST)	% of GST applicable on & above the price mentioned in column 'e'	HSN code (4 digit code) of the % of GST mentioned in column 'f'
20	Folder (Type 4)	Open Size – 36 cm X 24.5 cm, Close Size - 18 cm X 24.5 cm, Paper – 170 GSM Art Paper, Process - Multi colour, Single fold, 4 pages, Both side printing	Per Piece Rate			
21	Folder (Type 5)	Open Size – 28 cm X 14 cm, Close Size - 14 cm X 14 cm, Paper – 220 GSM Art Paper, Process - Multi colour, Single fold, 4 pages, Both side printing	Per Piece Rate			
22	Folder (Type 6)	Open Size – 28 cm X 14 cm, Close Size - 14 cm X 14 cm, Paper – 170 GSM Art Paper, Process - Multi colour, Single fold, 4 pages, Both side printing	Per Piece Rate			
23	Handouts (Type 1)	<b>Job Type-</b> Folder design, colour, front + back, CMYK ( 4 Colour), <b>Orientation-</b> Landscape, <b>Print Process-</b> Offset, <b>Paper Quality-</b> 100 GSM, Final Print Size- 24.75" X 11.69" inches (Custom size) Post Processes: Creasing, Perforation.	Per Piece Rate			
24	Handouts (Type 2)	Size- 7 ½ x16 ¾ Inches Paper: 300 gsm Art paper Multi Colour back to back. Binding : 2 fold, Machine Ceasing.	Per Piece Rate			
25	Handouts (Type 3)	Size- 7 ½ x16 ¾ Inches Paper: 300 gsm Art paper Multi Colour back to back. Binding :3 fold, Machine Ceasing	Per Piece Rate			
26	Handouts (Type 4)	Size-1/4 Demi Multi Colour Both Side Printing 2 fold paper Machine Creasing Paper : 170 gsm Map Litho.	Per Piece Rate			
27	Handouts (Type 5)	Size-1/6 Demi Multi Colour Both Side Printing 2 fold paper Machine Creasing Paper : 170 gsm Map Litho.	Per Piece Rate			
28	Handouts (Type 6)	Size-1/4 Demi Multi Colour Both Side Printing 3 fold paper Machine Creasing Paper :300 gsm Map Litho.	Per Piece Rate			

Sl. No.	NAME OF THE ITEM	SPECIFICATION	Unit of measurement	QUOTED RATE (Rs.) (PER UNIT) (Exclusive of GST)	% of GST applicable on & above the price mentioned in column 'e'	HSN code (4 digit code) of the % of GST mentioned in column 'f'
29	Handouts (Type 7)	Size-1/6 Demi Multi Colour Both Side Printing 3 fold paper Machine Creasing Paper : 300 gsm Map Litho.	Per Piece Rate			
30	Flipcharts	Job Type- Flipchart, colour, front + back, CMYK ( 4 Colour) Orientation- Portrait, wall calendar style, Refer to image, Print process- Offset, Paper type- 170gsm – 220gsm, uncoated, Final print size- 16.54" X 23.39" inches (A2) Post Process: Spiral Binding, Cardboard on the back, Metal eye (rivet) for hanging it from a nail, Front & Back mirror printing: 1-3-2-5,4-7-6-9-8-11,10-13 20 blank	Per Piece Rate			
31	Docket	<b>Job Type-</b> Colour, Front + Back, CMYK (4 Colour), <b>Pre-Press –</b> Make a screen, <b>Landscape –Portrait,</b> <b>Printing Process-</b> Offset Printing/ Screen Print, <b>Paper Type-</b> 300 GS Matt. <b>Final Print Size –</b> 9 inches X 12 inches, A4 folder, white. <b>Post Process-</b> Pasting of A4 sheet- if you choose offset, <b>Creasing –</b> If you choose offset	Per Piece Rate			
32	Patient Treatment Card Book let-1	Cover Page <b>Open Size -</b> 28cm X 22cm, <b>Close Size –</b> 14cm X 22cm, Printing Process - Multi colour with both side printing, <b>Paper quality -</b> 220 GSM Art Paper. <b>Single Fold 4 pages.</b> Inner Page <b>Open Size -</b> 28cm X 22cm, <b>Close Size –</b> 14cm X 22cm, <b>Printing Process -</b> black & white both side printing, <b>Paper quality -</b> 80 GSM paper single fold. Total inner page five pages of open size. <b>Post Process -</b> to be stapled in the middle of the booklet.	Rate per Booklet			
33	Patient Treatment Card Book let-2	Size: A5 (Open Size - 28cm X 22cm, Close Size 14cm X 22cm) Printing: Cover Page: Multi Color Both Side 150 GSM Paper Inner Page: Black and white, both side, 70 GSM No. of pages:36 Post Process - to be stapled in the middle of the booklet.	Rate per Booklet			

Sl. No.	NAME OF THE ITEM	SPECIFICATION	Unit of measurement	QUOTED RATE (Rs.) (PER UNIT) (Exclusive of GST)	% of GST applicable on & above the price mentioned in column 'e'	HSN code (4 digit code) of the % of GST mentioned in column 'f'
34	Patient Treatment Card Book let-3	Size: A5 (Open Size - 28cm X 22cm, Close Size 14cm X 22cm) Printing: Cover Page: Multi Color Both Side 150 GSM Paper Inner Page: Black and white, both side, 70 GSM. No. of pages: 24 Post Process - to be stapled in the middle of the booklet.	Rate per Booklet			
35	Patient Case Card-4	1/4 Demy single colour, Paper 250gsm with both side printing.	Rate per card			
36	Patient Case Card-4	1/4 Demy Multi colour, Paper 250gsm with both side printing.	Rate per card			
37	Printing Forms (Type 1)	Printing of forms in A 4 Paper, Single Side Printing, 70 GSM	Rate Per Piece			
38	Printing Forms (Type 2)	Printing of forms in A 4 Paper, Double Side Printing, 70 GSM with thick cover pages.	Rate Per Piece			
39	Printing Forms (Type 3)	Printing of forms in A 3 Paper, Single Side Printing, 70 GSM	Rate Per Piece			
40	Printing Forms (Type 4)	Printing of forms in A 3 Paper, Double Side Printing, 70 GSM	Rate Per Piece			
41	Printing Forms (Type 5)	Printing of forms in A 2 Paper, Single Side Printing, 70 GSM	Rate Per Piece			

Sl. No.	NAME OF THE ITEM	SPECIFICATION	Unit of measurement	QUOTED RATE (Rs.) (PER UNIT) (Exclusive of GST)	% of GST applicable on & above the price mentioned in column 'e'	HSN code (4 digit code) of the % of GST mentioned in column 'r'
42	Printing Forms (Type 6)	Printing of forms in A 2 Paper, Double Side Printing, 70 GSM	Rate Per Piece			
43	Printing Forms (Type 7)	Printing of forms in Legal Paper, Single Side Printing, 70 GSM	Rate Per Piece			
44	Printing Forms (Type 8)	Printing of forms in Legal Paper, Double Side Printing, 90 GSM.	Rate Per Piece			
45	Printing Forms (Type 9)	Printing of forms in Legal Paper, Single Side Printing, 90 GSM, binding with	Rate Per Piece			
46	Printing Forms (Type 10)	Printing of forms in Legal Paper, Double Side Printing, 90 GSM	Rate Per Piece			
47	Printing Forms (Type 11)	Printing of forms in A 4 Paper, Single Side Printing, 90 GSM	Rate Per Piece			
48	Printing Forms (Type 12)	Printing of forms in A Paper, Single Side Printing, 90 GSM	Rate Per Piece			
49	HBNC Format	Unit: Booklet Size:1/4 Demy Total No. Pages:12 Paper (All Pages):80gsm Maplitho Paper Brightness:77 (Minimum) Printing (All Pages):Both Side Black Binding: Centre Stitching With Perforation Of Last Page (2 Nos. Of Perforation In The Last Page)	Rate per Booklet			

Sl. No.	NAME OF THE ITEM	SPECIFICATION	Unit of measurement	QUOTED RATE (Rs.) (PER UNIT) (Exclusive of GST)	% of GST applicable on & above the price mentioned in column 'e'	HSN code (4 digit code) of the % of GST mentioned in column 'f'
50	<b>HBNC Format</b>	HBNC Format Unit: Booklet No. of Sheets: 50/25 Sheets marked as Original + 25 Sheets marked as Duplicate) with one carbon sheet in each booklet Printing: Type(Inner Sheets):Single side, Black(In Odia) 1st Sheet of the Booklet shall be printed as "Original" and next sheet shall be printed as "Duplicate" (for taking carbon copy) and this will be repeated in the remaining sheets of the booklet Paper size: 1/4 Demy Paper: Original Sheet(White Colour)—75GSMMaplitho, Brightness: 80 (Minimum) Duplicate Sheet(Yellow Colour)—54GSMMaplitho Binding: Type: Top Back binding with staples with hard board on back side	Rate per Booklet			
51	<b>Monthly Meeting Register</b>	Unit: Register Size-20cmx30cm Inner Pgs:200 Cover Pages:4 Paper (Inner) : 70gsm Paper (Cover): 70gsm Maplitho to Be Pasted on The Hard Board Binding After Printing (Inner):-Both Side Black Offset Printing. Printing (Cover): Multi Colour Offset Printing of Front and Back	Rate Per Register			
52	<b>Grade Card</b>	Binding: Zoo Stitching with Thick Hard Board & Cloth Binding at Unit: Card Size:1/4 Demy Printing: Single Side Multi Colour Offset Printing Paper:160gsm Drawing Sheet.	Rate per card			
53	<b>Printing of various Incentive Voucher Book:</b> 200 GSM thin board cover page with binding	Unit: Booklet Size: A4 Total No. of Pages: up to 100 pages Paper (Inner):80 GSM Printing: Black & White Single Side Printing with Perforation.	Rate per page			
54	<b>Printing of Various Formats:</b> 200 GSM thin board cover page with binding	Unit: Booklet Size: A4 Total No. of Pages: up to 30 pages Paper (Inner):80 GSM Printing: Black & White both Side Printing	Rate per booklet			
55	<b>Printing of Various Formats:</b> 200 GSM thin board cover page with binding	Unit: Booklet Size: A4 Total No. of Pages: up to 30 pages Paper (Inner):80 GSM Printing: multicolour both Side Printing	Rate per booklet			
56	<b>Printing of various Training Modules: 220 GSM laminated Cover page (multi-Colour) with gum binding.</b>	Total Pages: up to 100 pages Paper Size: A4 Paper: 80GSM Printing: Both Side Black & White: All Pages	Rate per page			

Sl. No.	NAME OF THE ITEM	SPECIFICATION	Unit of measurement	QUOTED RATE (Rs.) (PER UNIT) (Exclusive of GST)	% of GST applicable on & above the price mentioned in column 'e'	HSN code (4 digit code) of the % of GST mentioned in column 'f'
57	Printing of various Training Modules: 220 GSM laminated Cover page (multi-Colour) with gum binding.	Total Pages: 100 to 200 pages Paper Size: A4 Paper: 80GSM Printing: Both Side Black & White: All Pages	Rate per page			
58	Printing of various Training Modules: 220 GSM laminated Cover page (multi-Colour) with gum binding.	Total Pages: up to 100 pages Paper Size: A4 Paper: 80GSM Printing: Both Side Multi-colour: All Pages	Rate per page			
59	Printing of various Training Modules: 220 GSM laminated Cover page (multi-Colour) with gum binding.	Total Pages: 100 to 200 pages Paper Size: A4 Paper: 80GSM Printing: Both Side Multi-colour: All Pages	Rate per page			
60	Printing of St. Records & case card	Black & white Printing booklet: Paper Size- Open: 42cm X 28 cm, Close: 21cm X 28 cm, 2 fold. Total pages – Four pages of Open size with both side printing. Post Process – Stapling as booklet of 8 pages as close size. Paper Quality –70 GSM	Rate Per Booklet			
61	Booklet Type 1	B/W printing of Binding Booklet - 100 pages (50+50) Original & Duplicate, Paper size-A, 4, Paper Quality – 60 to 70 GSM. Post Process:- Binding with cardboard in last page & binding with 220 GSM paper on the top cover of the booklet with tearing mark at the top.	Rate Per Booklet			
62	Booklet Type 2	Size- 7 1/2 x16 1/2 inches Paper: 300 gsm Art paper Multi Colour back to back. Binding : 2 fold, Machine Ceasing.	Rate Per Booklet			
63	Register 1	B/W Both side printing & Binding - 100 pages, Paper size-A, 3, Paper Quality –70 GSM. Post Process: - Binding with cardboard in last page & binding with 220 GSM paper on the top cover & last page of the Register.	Rate per Register			

Sl. No.	NAME OF THE ITEM	SPECIFICATION	Unit of measurement	QUOTED RATE (Rs.) (PER UNIT) (Exclusive of GST)	% of GST applicable on & above the price mentioned in column 'e'	HSN code (4 digit code) of the % of GST mentioned in column 'f'
64	Register 2	B/W Both side printing & Binding - 200 pages, Paper size-A 3, Paper Quality -70 GSM. <b>Post Process:-</b> Binding with cardboard in last page & binding with 220 GSM paper on the top cover & last page of the Register.	Rate per Register			
65	Register 3	Unit: Register Size-A3 Inner Pges:300 Cover Pages:4 Paper (Inner) : 70 gsm Paper (Cover): 70 gsm Maplitho to be Pasted on the Hard Board Binding After Printing (Inner):-Both Side Black Offset Printing. Printing (Cover): Multi Colour Offset Printing of Front and Back. Binding: Zoo Stitching with Thick Hard Board & Cloth Binding at left Side of The Register	Rate per Register			
66	Rolling Register 1	120 pages, Paper Size -FS (34.5 x 21.5) cm, Paper Quality -70 GSM. <b>Post Process:-</b> Binding with front & back of register with 270 GSM multicolour paper.	Rate per Register			
67	Rolling Register 2	240 pages, Paper Size - FS (34.5 x 21.5) cm, Paper Quality -70 GSM. <b>Post Process:-</b> Binding with front & back of register with 270 GSM.	Rate per Register			
68	Register (Type 1)	100 Pages register with both side printing, Paper Size- A 4 (21 X 29.7) cm, Paper Quality- 60 - 70 GSM. <b>Post Process:-</b> Binding with Thick paper on front & card board on back cover	Rate per Register			
69	Register (Type 2)	100 Pages register with both side printing, Paper Size- FS (21.5 X 34.5) cm, Paper Quality- 70 GSM. <b>Post Process:-</b> Binding with Thick paper on front & card board on back cover of register	Rate per Register			
70	Register (Type 3)	100 Pages register with single side printing, Paper Size- (28.5 x 41.5) cm, Paper Quality- 60 - 70 GSM. <b>Post Process:-</b> Binding with Thick paper on front & card board on back cover of register	Rate per Register			

Sl. No.	NAME OF THE ITEM	SPECIFICATION	Unit of measurement	QUOTED RATE (Rs.) (PER UNIT) (Exclusive of GST)	% of GST applicable on & above the price mentioned in column 'e'	HSN code (4 digit code) of the % of GST mentioned in column 'f'
71	Register (Type 4)	200 Pages register with single side printing, Paper Size- A 4 (21 X 29.7) cm, Paper Quality- 60 – 70 GSM. <b>Post Process:-</b> Binding with Thick paper on front & card board on back cover	Rate per Register			
72	Register (Type 5)	200 Pages register with both side printing, Paper Size- FS (21.5 X 34.5) cm, Paper Quality- 60 – 70 GSM. <b>Post Process:-</b> Binding with Thick paper on front & card board on back cover	Rate per Register			
73	Register (Type 6)	200 Pages register with single side printing, Paper Size- (28.5 x 41.5) cm, Paper Quality- 60 – 70 GSM. <b>Post Process:-</b> Binding with Thick paper on front & card board on back cover of register	Rate per Register			
74	Register (Type 7)	300 Pages Register, <b>Paper size-</b> A 3, Single side print <b>Paper Quality-</b> 70 GSM, <b>Post Process:</b> Binding with Cardboard on the front & back side of Register.	Rate per Register			
75	Incentive Voucher book	50 pages voucher book with single side Printing, Paper quality - 80 GSM, Paper size - (10.5 X 29.7) cm. <b>Post Process:-</b> Binding with 220 GSM paper on front & back cover & Tearing mark in the voucher book.	Rate per voucher book			
76	Envelope type 1	Printing of Yellow colour Envelope for X-ray film, free size for 10 inches X 12 inches X-ray film, Paper quality-80 GSM.	Rate per Envelope			
77	Envelope type 2	Printing of Yellow colour Envelope for X-ray film, free size for 10 inches X 08 inches X-ray film, Paper quality-80 GSM.	Rate per Envelope			
78	Envelope type 2	Printing of Yellow colour Envelope for X-ray film, free size for 12 inches X 15 inches X-ray film, Paper quality-80 GSM.	Rate per Envelope			
79	Envelope type 2	Printing of Yellow colour Envelope for X-ray film, free size for 12 inches X 12 inches X-ray film, Paper quality-80 GSM.	Rate per Envelope			

Sl. No.	NAME OF THE ITEM	SPECIFICATION	Unit of measurement	QUOTED RATE (Rs.) (PER UNIT) (Exclusive of GST)	% of GST applicable on & above the price mentioned in column 'e'	HSN code (4 digit code) of the % of GST mentioned in column 'f'
80	Sticker Type 1	Sticker size - 14 cm X 22, Paper quality - Sticker Paper with multi colour printing, Back side adhesive, ready to paste	Rate per Sticker			
81	Sticker Type 2	Sticker size - 28 cm X 44, Paper quality - Sticker Paper with multi colour printing, Back side adhesive, ready to paste.	Rate per Sticker			
82	Standee Type 1	Aluminium Framed standee including multi colour quality flex- 250 GSM printed banner (Folding Type)	Rate per sq. ft.			
83	Standee Type 2	Flex print 250gsm with iron frame angel of (1"x1") -printing & mounting of banner.	Rate per sq. ft.			
84	Dynamic Steel frame wide base Standee-3	<p>✓ Frame: Aluminium frame with wide base(reusable)          ✓ Multi Colour fabric media printing with mounting          or          Standees may be framed using 202 grade steel frames of 3" gauge square pipes with mounting of fabric banners.          The matter of the standees should be changed as per the requirement during different occasion and it should be displayed in a suitable place for better visibility to the public on a long term basis.</p>	Per Sq. ft.			
85	Printing of Flex Banner	Job Type – Multi colour printing, CMYK (4 Colour) Good Quality Flex (minimum 250 GSM thickness) to be used, Post Process - 4 punch holes at each corner.	Rate Per Sq. ft			
86	Change of Flex in Hoardings-1	Good quality flex with Multi colour printing and fitting on the strategic departmental Hoardings at DHH, SDH & Block CHCs.	Rate per Sq. Ft. for Hoarding flex change			

Sl. No.	NAME OF THE ITEM	SPECIFICATION	Unit of measurement	QUOTED RATE (Rs.) (PER UNIT) (Exclusive of GST)	% of GST applicable on & above the price mentioned in column 'e'	HSN code (4 digit code) of the % of GST mentioned in column 'f'
87	Change of matter(Fabric) in existing Large hoardings - 2	The existing dynamic hoardings should be mounted with new content using fabric media instead of flex banner (use of flex banner is restricted under ban of polythene/plastic act). The theme should be decided on local specific issues and accordingly the content must be designed, printed and mounted utilizing	Per sq ft			
88	Vehicle Decoration	Decoration of <b>TATA ACE /MAGIC Vehicle</b> on various campaign programme. The vehicle is to be designed & to be fitted with good quality flex framed with iron square bar of size in each side of the vehicle fully covered along with head top design (Ratha model). The Vehicle will be designed with Gendu flower garland in the front and back (at least 20 garlands of 4 ft length to be provided and decorated. The rated will be quoted excluding Vehicle and fuel charges.	Rate Per vehicle			
89	Sun Board- Type 1	Materials to be used - 3 mm Thickness Sun Board. Printing Process - Eco Solvent Vinyl Print multi colour& mounting with steel stud in 4 corners at institutions. <b>(Including fitting charges)</b>	Rate Per Sq. Ft			
90	Sun Board- Type 2	Materials to be used - 6mm Thickness Sun Board. Printing Process - Eco Solvent Vinyl Printing & mounting with steel stud in 4 corners at institutions. <b>(Including fitting charges)</b>	Rate Per Sq. Ft			
<b>3.3 Specification for vinyl</b>						
<b>3.2.1: Property Value</b>						
91	Retro Signage for RI & UHND/UHND points	Board Size:- 1.5 Ft Height x 1 Ft Width Fitting & fixing up signage in Retro - Reflective Sheet with 2 MM tin sheet with UV laminated	Rate Per Sq. Ft			

Sl. No.	NAME OF THE ITEM	SPECIFICATION	Unit of measurement	QUOTED RATE (Rs.) (PER UNIT) (Exclusive of GST)	% of GST applicable on & above the price mentioned in column 'e'	HSN code (4 digit code) of the % of GST mentioned in column 'f'
92	Branding/ Mounting of IEC materials	<b>Materials Specification for Branding Work</b> (Acrylic Signage Display- Sandwich Model), <b>Base Sheet:</b> - Imported Acrylic Sheet - 4mm thickness. <b>Topping Sheet:</b> - Imported Acrylic Sheet - 3mm thickness <b>Fitting type:</b> - Wall mount with stainless stud at 4 corners. <b>Printing Process:</b> -Multi colour	Rate Per Sq. Ft.			
93	Cloth Banner Type 1	Cloth 30-40 GSM, single color printing with designs.	Rate per Sq Ft			
94	Cloth Banner Type 2	Cloth 90 GSM, Multi colour printing with designs.	Rate per unit			
95	General Acrylic Sign Board	Materials to be used: Imported Acrylic Sheet, Material Quality: 4 mm Thickness. Process: vinyl pasting (Eco solvent printing) on back side of the board. - Fitting by Wall mount with stainless stud at 4 corners/ fitting by hanging stand over / side of wall.	Rate Per Sq. Ft			
96	Acrylic Sign Board-1( Ama Hospital)	Materials to be used: Imported Acrylic Sheet, Material Quality: 4 mm Thickness. Process: vinyl pasting (Eco solvent printing) on back side of the board. - Fitting by Wall mount with stainless stud at 4 corners/ fitting by hanging stand over / side of wall.	Rate Per Sq. Ft			
97	Acrylic Sign Board-2 (Ama Hospital)	Materials to be used: Imported Acrylic Sheet, Material Quality: 6 mm thickness. Process: vinyl pasting (Eco solvent printing) on back side of the board. - Fitting by Wall mount with stainless stud at 4 corners/ fitting by hanging stand over / side of wall.	Rate Per Sq. Ft			
<b>Acrylic sheet properties Ama Hospital Branding</b>						

Sl. No.	NAME OF THE ITEM	SPECIFICATION	Unit of measurement	QUOTED RATE (Rs.) (PER UNIT) (Exclusive of GST)	% of GST applicable on & above the price mentioned in column 'e'	HSN code (4 digit code) of the % of GST mentioned in column 'f'
98	Hospital Out Door Signages - 1	4mm ACP or 6 mm WPC Sheet as Substrate with digitally printed Retro-reflective sheet pasting and fixing with appropriate size studs. In case of roof hanging signage: stainless roof hanging studs to be used.	Rate Per Sq. Ft			
99	Hospital Out Door Signages - 2	4mm ACP with framing, vinyl pasting (eco solvent printing) or digitally printed retro-reflective sheets	Rate Per Sq. Ft			
100	LED Display Board	-LED type display board, display in blue/Red /White colour letters -Visibility: Minimum 200-meter clear visibility with 1 ft hight letter size. -Acrylic Sheet: Good quality, virgin monomer as base to place letters. -LED letter Module: IP68 rated water and Fireproof -Installation: Outdoor & Indoor in Hospitals as per requirements Acrylic board to be prepared as per the letter size ordered to support the acrylic letters, any support structure (like aluminium frame) at the back of the sheet shall also be provided in order to fix the letters firmly. Price will be quoted as per the square foot rate of letter placed on the board (separate letter wise size to be calculated to finalize total price estimated for the project.	Rate Per Sq. Ft			
101	Digital Standee	For Specification See Annexure: B list of Item	Rate per standee			

Sl. No.	NAME OF THE ITEM	SPECIFICATION	Unit of measurement	QUOTED RATE (Rs.) (PER UNIT) (Exclusive of GST)	% of GST applicable on & above the price mentioned in column 'e'	HSN code (4 digit code) of the % of GST mentioned in column 'f'
102	LED Light box for display of Awareness posture	For Specification See Annexure: B list of Item	Rate per Piece			
103	Glow Sign Board LED light fitted	Material - Star back lit Flex, Multi-colour printing & fixing on rust free metal frame box - 18 gauge GI sheet, Back Lid print including electrical quality lighting with LEDs fixed inside. Minimum 200 mtr. visibility	Rate per Sq ft			
104	Vinyl print (Poster)	Multi Colour Printing, good quality paper and printing with back side adhesive.	Rate per Sq ft			
105	Erection of new Hoarding	<p>Size of hoarding: 8'x16', 15'x30', 12'x15'. Specification</p> <p>② Fabric / cloth should be fixed by iron pipes and GI Wires.</p> <p>③ Structure of the hoarding will be at a height of 5 feet from the ground level so as to be clearly visible from distance.</p> <p>④ Care must be taken not to selection behind the tree/ any other structure obstructing behind the view.</p> <p>⑤ The hoarding should be so installed (preferably at right angle to the direction of passing road/entrance to the campus area) that it easily catches the vision of the passersby people.</p> <p>Quality: Angle/Joist Frame Used should be of Good Quality. Joist- 5"x2.5" Angle-3"x3" Angle 2"x2"</p>	Rate per Sq. ft.			
106	Mini Hoarding	<p>• Base of each pole of the hoarding should be buried at least 2 1/2</p> <p>Size of hoarding :- 6ft &amp; 3 Ft Specification</p> <p>18 Gauge printed or painted tin plated or Tin plate with Fabric pasting or ACP with Vinyl Pasting</p> <p>10 Ft SS angle ( 2" L SS Angle )</p> <p>2ft Inside Ground &amp; Cement Concrete Ground to Top :- 8.0 Ft Length</p> <p>6 Ft Width &amp; 3 Ft Long Mid Joist Bar 3 Ft Quality: Joist- 5"x2.5" Angle- 3"x3"</p> <p>Angle 2"x2"</p>	Rate per Sq. ft			

Sl. No.	NAME OF THE ITEM	SPECIFICATION	Unit of measurement	QUOTED RATE (Rs.) (PER UNIT) (Exclusive of GST)	% of GST applicable on & above the price mentioned in column 'e'	HSN code (4 digit code) of the % of GST mentioned in column 'f'
107	Installation of Retro-Hoarding	Providing, Fixing, fitting retro-reflective sheet on 4 mm aluminium sheet/ ACP (0.25 +3.50+0.25-pd/vf coated) OEM Matched component & UV laminated	Rate per Sq. ft.			
108	Printing of Fabric Banner	Job Type – Multi colour printing, CMYK (4 Colour) Good Quality Flex (minimum 240 GSM thickness) to be used, Post Process - 4 punch holes at each corner	Rate per Sq ft			
109	Canopy Type 1	Size:5'x5' x7' Fabric Cotton inner and side of the kiosk/Canopy should be displayed with different message. Process: Steel frame with Good quality flex(minimum 249 GSM thickness) to be used	Rate Per Sq ft			
110	Canopy Type 2	Size:5'x5' x7' Fabric Cotton inner and side of the kiosk/Canopy should be displayed with different message. Process: Iron frame with Good quality flex(minimum 249 GSM thickness) to be used	Rate Per Sq ft			
111	Canopy Type 3	Size:5'x5' x7' Flex inner and side of the kiosk/Canopy should be displayed with different message. Process: Steel frame with Good quality flex(minimum 249 GSM thickness) to be used	Rate Per Sq ft			
112	Canopy Type 4	Size:5'x5' x7' Flex inner and side of the kiosk/Canopy should be displayed with different message. Process: Iron frame with Good quality flex(minimum 249 GSM thickness) to be used	Rate Per Sq ft			
113	IEC Calendar	Size of each sheet of calendar 91CM x 58.5 CM ,No of sheets in each calendar:10 sheets, Colour: Multi colour, Binding: Each sheet both side lamination, Tip wire with hanger, calendar is packed with a strong polythene bag/envelope size 24"x37"	Rate per Calendar			

Sl. No.	NAME OF THE ITEM	SPECIFICATION	Unit of measurement	QUOTED RATE (Rs.) (PER UNIT) (Exclusive of GST)	% of GST applicable on & above the price mentioned in column 'e'	HSN code (4 digit code) of the % of GST mentioned in column 'f'
114	Installation of Retro-Hoarding	For Specification See Annexure: B list of Item	Per sq ft			
115	Permanent (Iron Frame)	For Specification See Annexure: B list of Item	Per sq ft			
116	Mini Hoardings Type 1	For Specification See Annexure: B list of Item	Per sq ft			
117	Mini Hoardings Type 2	For Specification See Annexure: B list of Item	Per sq ft			
118	Retro Signage for UHND & RI Points	For Specification See Annexure: B list of Item	Per sq ft			
119	Wall paintings for health education	For Specification See Annexure: B list of Item	Per sq ft			
120	Installation of SUMAN hoarding Type 1	For Specification See Annexure: B list of Item	Rate Per Board			
121	Printing of Health Calendar	For Specification See Annexure: B list of Item	Per Calendar			
122	FAQ	For Specification See Annexure: B list of Item	Per Piece Rate			

Sl. No.	NAME OF THE ITEM	SPECIFICATION	Unit of measurement	QUOTED RATE (Rs.) (PER UNIT) (Exclusive of GST)	% of GST applicable on & above the price mentioned in column 'e'	HSN code (4 digit code) of the % of GST mentioned in column 'f'
123	FLIP BOOK Type 1	For Specification See Annexure: B list of Item	Rate Per Book			
124	FLIP BOOK Type 2	For Specification See Annexure: B list of Item	Rate Per Book			
125	FLIP BOOK Type 3	For Specification See Annexure: B list of Item	Rate Per Book			
126	CASE RECORD/ INFORMATION SHEET FOR TOBACCO CESSATION	For Specification See Annexure: B list of Item	Rate Per Book			
127	COTPA CHALLAN & RECEIPT BOOK	For Specification See Annexure: B list of Item	Rate Per Book			
128	NBSU Case Sheet Docket folder Set	For Specification See Annexure: B list of Item	Rate per Docket folder Set			
129	SNCU Case Sheet Docket folder Set	For Specification See Annexure: B list of Item	Rate per Docket folder			
130	Child Death Review Forms set	For Specification See Annexure: B list of Item	Rate per set			

Sl. No.	NAME OF THE ITEM	SPECIFICATION	Unit of measurement	QUOTED RATE (Rs.) (PER UNIT) (Exclusive of GST)	% of GST applicable on & above the price mentioned in column 'e'	HSN code (4 digit code) of the % of GST mentioned in column 'f'
---------	------------------	---------------	---------------------	---	--	---

Note:

- 1 Before Quoting Rate See Specification given in Annexure-B for each item and then Quote Rate
- 2 Only one price has to be quoted against each item. Alternative pricing against one item is not allowed.
- 3 The prices should be quoted by taking into account the place of delivery i.e. O/o CDM & PHO, Nabarangpur mentioned against the item.  
Rates per Unit quoted should be inclusive of cost of paper, pages design, proof reading, DTP, printing, binding as per specifications; paper testing charges, transportation to the consignee place and exclusive of GST if any as applicable (The % of GST if any must be mentioned in the separate column mentioned above). Evaluation shall be made on the Price per Unit (Exclusive of GST). In case of different % of GST for the relevant item (s) quoted by bidders, the correct % of GST shall be applicable.
- 4

Palce :  
Date :

Seal and signature of Authorised Person